



102012-2022
CREATING CUSTOMERS FOR LIFE





GRAND DESIGN
RECREATIONAL VEHICLES



— AND —







Note: Testing was performed in a temperature controlled chamber and does not account for variables such as wind, humidity, and altitude.

The Solitude has been third-party tested in extreme outdoor conditions. The heating and cooling system passed with flying colors - delivering comfortable and even room temperatures from cap to rear.



MAXIMUM INSULATION

THERMAL ROOF DESIGN

R-40*

Fiberglass insulation and a layer of radiant foil insulation cover the roof. Grand Design goes further by extending both insulation layers the full length of the roof and around to the bottom of the front cap. To maximize the effectiveness of the insulation, a vented attic allows condensation to escape the roof structure.

FULLY LAMINATED WALLS R-11*

Sidewalls, rear wall, slideroom endwalls and slideroom roof are all welded aluminum framed and laminated with rigid foam insulation. Many manufactures use wood framing and soft fiberglass insulation in the rear wall and slideroom that can settle over time and leave uninsulated air gaps.

EXCLUSIVE!

(3) TRIPLE INSULATED MAIN FLOOR

R-45°

The underbelly is lined with a radiant foil insulation barrier (Layer1) and then covered with fiberglass insulation (Layer 2). The main floor enhances the R-Value with yet another layer of fiberglass insulation (Layer 3).

EXCLUSIVE!

RAIL-TITE UNDERBELLY SEAL

Rigid aluminum rails are fastened around the perimeter of the underbelly to keep the corrugated barrier up tight against the frame for a better seal from the elements.

INSULATED GOOSENECK

Fiberglass insulation under the gooseneck is a place often forgotten by other manufactures.

6 1.5" INSULATED **BAGGAGE DOORS**

> Rigid foam insulation lines the inside of our heavy duty baggage doors.

MAXIMUM FUNCTION



40,000 BTU OF HEATING POWER

A high performance furnace and fireplace combine to deliver the heat.



EVENFLOW HEATING SYSTEM

Vertically mounted heat vents are integrated into the cabinet bases. These vents push hot air from front to back (rather than straight up) and eliminate the need for floor vents that can collect dirt and debris, and are easily broken.



HEATED UNDERBELLY & STORAGE BAY

Dedicated heat ducts run to both the underbelly and storage bay. 12-volt heat pads on each holding tank, and the enclosed utility center with low-point drains provide a functional water system – even in extreme cold.



- **Balances Air Flow** Throughout the RV
- Increases A/C Air Volume
- Efficiency Leads to Energy and Cost Savings
- Reduces Temperature in a Shorter Amount of Time

NEW FOR 2022!



EXCLUSIVE!

RAISING THE BAR IN **CUSTOMER SERVICE &** VARRANT

Every Grand Design RV is backed with a class leading 3-year limited structural warranty. By selecting suppliers with similar philosophies, many components used on our coaches also carry an extended warranty through the component manufacturer.

- ► FLOOR DECKING (25 Years)
- ► AXLES (5 Years)
- **EXTERIOR GRAPHICS** (5 Years)
- CHASSIS (3 Years)
- **ROOF COVERING** (12 Years)
- TIRE WARRANTY (5 Years w/12 Month no questions asked replacement for manufacturer defects)

SUPERCHASSIS 10"-12" Main Rail

10" Drop Rail

101" Wide Body Chassis - A full 5" wider than many coaches in its class, the widebody chassis allows for more livable floor space with deeper sliderooms, wider sofas in rear lounge models, and space saving sliding pocket doors into the bathrooms...all at a shorter towing length.

Wide Rail Design – Heavy duty I-beam main rails are placed further outward on the chassis. This wider rail placement provides a more stable jack stance, and allows for the slideroom gearpacks to be enclosed inside the frame rails (rather than outside).

Running Gear - Reinforced axle hangers, metal wheel wells, 1/2" shackles, greasable wet bolts and bronze bushings.




SOLITUDE

NOW WITH REINFORCED AXLE HANGERS!



RUN THREE 15K ACS AT THE SAME TIME!



MAXIMUM AVAILABLE COOLING POWER

Dual 15,000 BTU A/Cs and prep for a 3rd A/C (N/A 280RK and 2930RL)



AIRTITE CONNECTORS

All duct pieces are securely fastened together using special connector brackets.



RACETRACK DUCTING

True Racetrack Ducting extends past each AC unit to allow for uninterrupted airflow from the front to the back of the coach.







CONTROL IN THE PALM OF YOUR HAND.

CONTROL YOUR RV

Control lighting, slide-outs, leveling and awnings from the palm of your hand.

REAL-TIME DIAGNOSTICS

Compass Connect can notify you of system status, low battery voltage and leveling issues.









NO CARPET IN SLIDES/FLUSH FLOOR KITCHEN SLIDES



SUSPENSION SYSTEM

from damaging road shock.

Increased travel means smoother towing,

improved towability and better protection

ANTI-LOCK

Lippert's ABS can prevent wheel slip and

lockup, providing more stability during

slippery or emergency-brake situations.

Exclusive to Grand Design RV.

(Standard on 7K Drum Brakes Only)

SOLID SURFACE **BATHROOM COUNTERTOPS**



17.5" All-Steel H-Rated Tires

75mph Speed Rated 4,805 lb. Load Rating

Chip Guard: Protects from chips or cuts Scrub Guard: Minimize wear from starts,

stops, tight turns and curb impacts



ROCKFORD SOUND SYSTEM

HEAD UNIT WITH INT. / EXT. SPEAKERS



TPMS SYSTEM

MONITORS PRESSURE AND TEMPERATURE

HIGHLIGHTED OPTIONS

ADD THE OPTIONAL SOLAR PACKAGE

(SOLAR PREP COMES STANDARD)









2000W Inverter

We couple 8K axles with 17.5" H-rated Cooper tires to give you the most carrying capacity in the industry! (Includes Disc Brakes)

UPGRADE TO

8K AXLES

MORE OPTIONS:

DUAL PANE WINDOWS GENERATOR PREP KING BED


(2) Dock Ports

POWER SEATS

BY APEX

Bluetooth Module





2930**RL** 2930RL-R

UVW[†] 11,442

HITCH1 2,174

15,000

GVWR

LENGTH[‡] 34' 4"

HEIGHT

CAPACITY 13' 5" 81 106 53 3740**BH** 3740BH-R

02

FOLD DOWN BUNK

TRI-FOLD SOFA

UVW[†] 13,884

ALUMINUM ENTRY STEPS

HITCH[†] 2,900

ENT. CENTER

LED TV w/ FIREPLACE

GVWR 16,800

12CU. REFER

LENGTH: 40' 4"

4 STEP ENTRY

SHOWER W/SKYLIGHT

CAPACITY HEIGHT 13' 5" 81 106 106

DRESSER w/ LED TV

USB CHARGING OUTLET



3460FL

UVW[†] TBD

4 STEP ENTRY

HITCH[†] TRD

GVWR 16,800

LENGTH: 37'11"

HEIGHT 13' 5" 81 106 53

USB CHARGING OUTLET



3950**BH**

HITCH[†] 14 054 2 584

GVWR 16,800

LENGTH:

CAPACITY HEIGHT

13' 5" 81 106 106

[†] Based on average weight of the standard build. [‡] Hitch to rear



FOR MORE INFORMATION

SCAN THE QR CODE USING YOUR MOBILE PHONE CAMERA APP

FLOORPLANS



CONSTRUCTION



OPTIONAL SLIDE CONFIGURATIONS

AVAILABLE ON MARKED MODELS ONLY







2

-R models indicate 18 cu ft. Residential Refrigerator option.





THE RUBBER PIN BOX



The MORryde pin box system utilizes a unique rubber shear spring to positively deal with rough towing and road shock.



ANTI-LOCK BRAKES

Lippert's ABS can prevent wheel slip and lockup, providing more stability during slippery or emergency-brake situations. Exclusive to Grand Design RV. (Standard on 7K Drum Brakes Only)

THE ESSENTIALS



ON DEMAND WATER HEATER



TPMS SYSTEM MONITORS PRESSURE AND TEMPERATURE



RESIDENTIAL RANGE



RESIDENTIAL WINDOW **SURROUNDS**



PROPANE QUICK CONNECT



UPGRADED SHOWER SYSTEM



ELECTRIC POWER CORD REEL

HIGHLIGHTED OPTIONS

ADD THE OPTIONAL SOLAR PACKAGE

(SOLAR PREP COMES STANDARD)







50 AMP Controller 2000W Inverter

(2) Dock Ports

Bluetooth Module



We couple 8K axles with 17.5" H-rated Cooper tires to give you the most carrying capacity in the industry! (Includes Disc Brakes)

FULL BODY PAINT OPTIONS






Optional Pull-Out Kitchen with Sink, Griddle, Drawers and pivoting table.

(NA 378MBS, 380FL, 382WB)











(AS SHOWN)

MIDNIGHT

PEARL



FOR MORE INFORMATION SCAN THE QR CODE USING YOUR MOBILE PHONE CAMERA APP

FLOORPLANS

CONSTRUCTION

BUILD & PRICE









280**RK** 280RK-R

UVW 12,334

HITCH*

GVWR 2,044

15,000

LENGTH: HEIGHT 32' 7"

13' 5" 81 106 53

378**MBS** CAPACITY 378MBS-R

UVW[†] 14,344

HITCH[†] GVWR 2,686 16,800

4 STEP ENTRY

LENGTH[‡] 40' 2"

4 STEP ENTRY

SHOWER w/ SXYLIGHT

> HEIGHT CAPACITY 13' 5" 81 106 53

> > TRI-FOLD SOFA

TRI-FOLD SOFA

USB CHARGING OUTLET

TRI-FOLD SOFA

TRI-FOLD SOFA

USB CHARGING OUTLET

USB CHARGING OUTLET

USB CHARGING OUTLET PULL-OUT KITCHEN

310**GK** 310**GK-R**

UVW 12,100

HITCH[†] 2,350

GVWR

15,000

LENGTH: 34' 11"

HEIGHT 13' 5"

CAPACITY **81** 106 **53** 380**FL** 380FL-R

UVW[†] HITCH1 3,052 14,866

GVWR 16,800 LENGTH[‡] HEIGHT CAPACITY 41' 5"

13' 5" 81 106 106



345**GK** 345GK-R

UVW 13,320

HITCH

GVWR 2,604 16,800

LENGTH[‡] 37' 2"

HEIGHT 13' 5"

CAPACITY **81** 106 **53** 382**WB** 382WB-R

UVW HITCH[†] 14,866

3,052

TRI-FOLD SOFA

GVWR 16,800 LENGTH: HEIGHT 41' 5"

CAPACITY 13' 5" 81 106 53



373**FB**

373FB-R

UVW[†] HITCH[†] 13,950

2,800

16,800

GVWR

41' 4"

LENGTH:

13' 5"

HEIGHT

CAPACITY

81 106 106

390**RK** 390**RK-R**

UVW 14,562

LED TV W/ FIREPLACE

HITCH[†] 2,794

GVWR 16,800

ALUMINUM SHOCK ASSIST 4 STEP ENTRY

41' 5"

LENGTH:

PULL-OUT KITCHEN (OFTIONAL)

13' 5" 81 106 53

HEIGHT

USB CHARGING OUTLET

CAPACITY

USB CHARGING OUTLET

NEW!



376**RD**

376RD-R

UVW[†] TBD

TBD

HITCH[†]

16,800

GVWR LENGTH:

42' 6"

HEIGHT

13' 5" 81 106 53

CAPACITY

391**DL** 391DL-R

15,300

UVW

60 x 80 QUEEN BED

3,050

HITCH[†]

16,800

GVWR

43' 11"

4 STEP ENTRY

LENGTH:

HEIGHT CAPACITY 13' 5" 81 106 106

[†] Based on average weight of the standard build. [‡] Hitch to rear -R models indicate 18 cu ft. Residential Refrigerator option.

WE STRIVE FOR NOTHING LESS THAN CUSTOMERS FOR LIFE!



Thank you for taking the time to tour our coach.

We would like to share what sets Grand Design RV apart from all other RV manufacturers and why this difference is important to you.

My close friends and I were part of an ownership team at a travel trailer, fifth wheel company that grew to become one of the largest RV manufacturers in the world. While proud of this accomplishment, it became difficult to stay in touch with customers, employees, and ultimately the quality of the final product. It became obvious, there was a better way.

In 2012 we started with a mission to build a better RV company. A company with a culture that desires a long-term, personal connection with customers, employees and dealers – that company became Grand Design RV. Our business model of doing the right thing has led us to many years of unparalleled growth.

At Grand Design we are customer centered and everything we do daily revolves around you. Our goal is simple – continue to lead the industry with quality, innovative products while striving to improve our customers' RV experience before, during and after their purchase. We strive for nothing less than customers for life and I would be honored to personally welcome you to the Grand Design family.

Warmest Regards,

President / CEO / Co-Founder

QUALITY IS NOT AN OPTION, IT'S A HABIT!

Since day one dealers have reported their satisfaction levels confidentially regarding reliability and quality, parts, warranty and sales and rated us among the highest-rated RV manufacturers for <u>EVERY</u> one of our product lines, <u>EVERY</u> year.





LONG TERM VALUE

Everything we do at our company is designed to build long-term value in what we offer our customers, "More features and superior value for your dollar."

CUSTOMER CENTERED

Our focus, from the very first day we opened our doors, revolves around our customers. Your satisfaction is our future. GDRV4Life!

STAYING CONNECTED


Magic happens when the CEO and Senior Management actively work with the production facilities to help build the team and develop products.

EXPERIENCED WORKFORCE

Our local workforce has been hand-picked and has an excellent reputation for second-to-none industry craftsmanship.

RAISING THE QUALITY BAR

We put every Grand Design RV through a series of quality inspection gates during the manufacturing process. Once completed, the unit undergoes a comprehensive "final finish" inspection. At this point, most manufacturers ship their coaches to the dealer for retail sale. We aren't most manufacturers. Every one of our coaches is moved to a PDI (Pre-Delivery Inspection) area where they are put through a rigorous 300+ point inspection checklist. It is only after this PDI that we certify a unit ready to ship to our dealers.



SUPERIOR SERVICE

Anything built by humans that travels down the open road is subject to issues. It's how those issues are addressed that makes Grand Design so special to our owners. Visit the independent owners page on Facebook (Grand Design RV Owners) and see for yourself. We take care of our customers after the sale. An informed customer will be a Grand Design customer!

CLASS LEADING WARRANTY

We back every one of our coaches with a 3-year limited structural warranty.

REV 08.22.22