# **Floor Plans**

Specifications & Features



Generations of Fun in the Great Outdoors

1999


FLEETWOOD. RV

REAT GOING FOR GENERATIONS. When you want to get away from it all, Wilderness is the best value for the great escape. For generations of fun in the great outdoors, it's been the perfect way to get some fresh air and some well-deserved time off. With seven model styles, more than 50 unique floor plans and the best warranty in its class, Wilderness gives you comfort, dependability and affordability. In fact, no other trailer or fifth wheel in the category is built with greater care, quality or craftsmanship. As a Fleetwood RV, we start each Wilderness with solid engineering and work up to the cozy interior comforts that pamper you with all the conveniences of residential living. Wilderness has what it takes whether you've just got the weekend off or the whole summer. On the outside you'll find its bold, clean lines give it a smooth, aerodynamic profile. Inside, its efficient floor plans maximize luxurious livability. Spacious optional slide-outs create even more room in dining, living and sleeping areas. Fresh new color choices in appealing fabrics make for an elegant lifestyle that's as rugged as it is rich. With so many floor plan combinations to choose from, there's bound to be a Wilderness that's perfect for your lifestyle and budget. It's the way generations have been having great fun in the outdoors for years.

Wilderness Ultralite	Wilderness Lite	Wilderness	Wilderness GL	Wilderness GLX	Wilderness SUT	Wilderness Park Trailer
Page 3-5	Page 6-8	Page 9-14	Page 15-20	Page 21-23	Page 24-25	Page 26-27



### ALL NEW MODELS!



▲ = Exterior Storage Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

## **1999 WILDERNESS ULTRALITE SPECIFICATIONS**

# Travel Trailers & Fifth Wheels

ULTRALITE MODELS	721E	721G	725 <b>R</b>	725 <b>T</b>
GVWR (Gross Vehicle Weight Rating)	4,400	4,400	4,900	4,900
Gross Dry Weight <sup>1</sup>	2,990	3,030	3,380	3,440
Carrying Capacity <sup>2</sup>	I,4I0	I,370	I,520	I,460
Hitch Dry Weight <sup>1</sup>	370	370	330	410
Dry Axle Weight <sup>1</sup>	2,620	2,660	3,050	3,030
Length	21'6"3	21'6"3	25'6" <sup>3</sup>	25'II'' <sup>3</sup>
Width	7'2"	7'2"	7'2"	7'2"
Height <sup>4</sup>	8'3"	8'3"	8'3"	8'3"
Interior Height	76"	76"	76"	76"
Interior Width	84"	84"	84"	84"
Tires – Size	ST175/	ST175/	ST175/	STI75/
	80R I3(B)	80R I3(B)	80R I3(C)	80R I3(C)
Fresh Water Tank⁵ – gal.	30	30	30	30
Gray Water Holding Tank⁵ – gal.	30	30	30	30
Black Water Holding Tank⁵ – gal.	30	30	30	30
Bed/Bunk Size – Standard	27"x74" (2) Bunk	48"x74" Dbl.	27"x74" (2) Bunk	60"x75" Queen
	58"x84" Dinette	58"x84" Dinette	58"x84" Dinette	

<sup>1</sup> All dry weights are based on standard model features and do not include optional features or equipment.

<sup>2</sup> Carrying capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying capacity includes all fluids, optional equipment and personal cargo.

<sup>3</sup> Includes 3'6" for hitch.

<sup>4</sup> Add 12" if equipped with optional roof air conditioner.

<sup>5</sup> Approximate gallons.



### **1999 WILDERNESS ULTRALITE STANDARD FEATURES**

# Travel Trailers

#### Exterior

Aerodynamic Front Profile w/ High Impact ABS Cap Independent Torsion Suspension System Corrosion Resistant A-Frame and Automotive Style Bumper Laminated, Welded Aluminum Framed Walls, Floor and Ceiling Smooth Fiberglass Exterior Box Channel, Steel Cambered Chassis 10" Electric Brakes Durable Molded Wheel Well Skirts I3" Radial Ply Tires w/ White Spoke Wheels Retractable Non-Skid Entry Step Locking, Insulated Radius Luggage Doors Flush Mount Radius Rockguard Awning One-Piece Seamless Rubber Roof Beadboard Insulation 26" Wide Main Radius Entry Door w/ Window & Screen Reinforced Screen Door w/ Lock Shield & Kick Panel Flush Combo Entry Latch/Dead Bolt Lock Radius White Framed Windows Enclosed LPG Tank Compartment Large, Through-Storage Front Compartment Skylight Roof Vents Wall-Switched Doorside Patio Light w/ Amber Lens Battery Compartment Fully Enclosed Chassis Enclosed Below Floor Water & Waste Tanks w/ Remote Valve Lower Radius Skirting w/ABS Corner Caps Sonic Welded Automotive Style Clearance Lights G.F.I. Protected I20V Duplex Receptacle Interior

2 Color-Coordinated Designer Interiors

Oak Mortise and Tenon Cabinet Doors Vinyl Rollgoods Throughout Residential Window Coverings Color-Coordinated Miniblinds Throughout Decor-Coordinated Bedspread (Double or Queen) Front Combo Overhead Bunk (Most Models) Quality Furniture by Flexsteel® Wall-Switched I2V Lights Fabric-Trimmed Dinettes & Entry Door Header Galley Panoramic Galley Window Double Bowl Porcelain Sink Large Swing Spout Faucet Galley Storage Pantry Cabinet w/ Fixed Shelves (Most Models) 120V Appliance Receptacle at Countertop High Pressure Laminated Countertop Decor Wall Border Bath Oval Lavy Bowl Overhead Medicine Cabinet w/ Mirror

Thetford® Toilet ABS Tub/Shower I2V Power Roof Exhaust Vent Shower Curtain w/ Valance and Tie Back G.F.I. Protected I20V Duplex Receptacle Wall-Switched Ceiling Light Skylight in Tub/ Shower

Appliances/Equipment Dometic<sup>®</sup> LP/ Electric Refrigerator Atwood<sup>®</sup> 3-Burner Cook Top Range Hood w/I2V Light and Exhaust Fan Wall-Mounted Systems Monitor Panel LP Fast Recovery Water Heater, 6 Gal. 30 Gallon Water and Waste Tanks hydroflame<sup>®</sup> Furnace w/ Thermostat Microwave w/ Turntable A&E Patio Awning Enclosed Dual 5 Gallon LPG Tanks w/ Regulator & Auto-Changeover Smoke Detector Fire Extinguisher Freeze Resistant Water Lines LPG Leak Detector Water Heater Bypass Electrical Electronic Converter w/ Built-in Battery Charger **I20V** Central Electrical Panel 120V Duplex Receptacles Throughout 120V Ground Fault Circuit Protection Wall-Switched Interior Lights Prewired for TV Antenna Prewired for Air Conditioner Prewired for Stereo and Speaker **Ultralite Popular Options** Coleman® 13.5M BTU Roof Air AM/FM Cassette Stereo AM/FM CD Player Stabilizing Jacks/2 Pr. Spare Tire - 13" Chair TV Antenna Not all models include all features. See your dealer for complete details.

FLEETWOOD, RV



WARD

WARD

WARD

REFER

RANGE

¢¢

WARD

NIGHT

QUEEN BED

QUEEN BED

ſ.

TV CAB WARD

NIGHT

QUEEN BED


TWIN BED


TWIN BED

OPT. 836

NIGHT STAND

WARD





▲ = Exterior Storage

## **1999 WILDERNESS LITE SPECIFICATIONS**

# Travel Trailers & Fifth Wheels

WILDERNESS LITE MODELS	822W	824 <b>Z</b>	825B	825¥	821 5 <b>B</b>	824 50	825 5 <b>X</b>
GVWR (Gross Vehicle Weight Rating)	5,400	5,600	5,800	6,000	5,800	6,300	6,700
Gross Dry Weight <sup>1</sup>	3,710	3,810	3,970	4,280	4,250	4,630	4,920
Carrying Capacity <sup>2</sup>	1,690	1,790	I,830	1,720	1,550	1,670	1,780
Hitch Dry Weight <sup>1</sup>	480	450	420	440	770	630	1,020
Dry Axle Weight <sup>1</sup>	3,230	3,360	3,550	3,840	3,480	4,000	3,800
Length	24'2"3	25'9"3	25'II" <sup>3</sup>	25'I I " <sup>3</sup>	23'11"	25'4"	27'II"
Width	8'0"	8'0''	8'0''	8'0"	8'0"	8'0''	8'0"
Height <sup>4</sup>	8'11"	8'11"	8'11"	9'3"	9'6"	9'10"	9'10"
Interior Height	76"	76"	76"	76"	76"	76"	76"
Tires – Size	ST205/	ST205/	ST205/	ST205/	ST205/	ST205/	ST205/
	75R I4 <b>(</b> B)	75R I4 <b>(</b> B)	75R I4 <b>(</b> B)	75R I4 <b>(</b> B)	75R I4 <b>(</b> B)	75R I4 <b>(</b> B)	75R I4(B)
Fresh Water Tank <sup>5</sup> – gal.	40	40	40	40	40	40	40
Gray Water Holding Tank <sup>5</sup> – gal.	40	40	40	30/30	40	30/30	30/30
Black Water Holding Tank⁵ – gal.	30	30	30	30	30	30	30
Bed Size – Standard	48"x75" Dbl.	54"x75" Dbl.	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen
		30"x75" Bunk					30"x75" Bunk
Bed Size – Option	30"x75" Bunk	60"x75" Queen	N/A	N/A	32"x75" Twin	N/A	N/A

<sup>1</sup> All dry weights are based on standard model features and do not include optional features or equipment.

<sup>2</sup> Carrying capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying capacity includes all fluids, optional equipment and personal cargo.

<sup>3</sup> Includes 3'6" for hitch.

<sup>4</sup> Add 12" if equipped with optional roof air conditioner.

<sup>5</sup> Approximate gallons.



## **1999 WILDERNESS LITE STANDARD FEATURES**

Travel Trailers & Fifth Wheels

#### Exterior

Designer Valances

Front Radius Rockguard Awning (Travel Trailers) One-Piece Seamless Rubber Roof High Gloss Arctic White Exterior Finish Entry Door w/ Window & Screen Door One-Piece Flush Latch/Dead Bolt Lock Awning I4" Spoke Wheels 4 Wheel Electric Brakes Powder Coated Bumper - Sewer Hose Carrier Locking, Insulated Luggage Doors w/ Finger Pulls Potable Water Fill Exterior Shower Dual Safety Chains Dual Battery Rack Double Entry Step Interior Overhead Bunk Cabinet (Select Models) Large Radiused Torque & Slider Windows Miniblinds Throughout (Except Bunk Areas)

Oak Raised Panel Doors Bedspread Bed-Lift Struts Folding Room Divider (Most Models) Indoor/Outdoor Dinette Table Full Length Vinyl Flooring Range Cover Sink Lid

### Bath

ABS Tub/Shower Pan w/ Walls Bath Medicine Cabinet w/ Mirrored Door Towel Bars Large Dome Skylight Power Roof Vent Thetford<sup>®</sup> Freshwater Toilet

### $\mathbf{A}$ ppliances/ $\mathbf{E}$ quipment

Dometic® Double Door LP/Electric Refrigerator Magic Chef® 3-Burner, High-Output Range w/Oven Electric Touch Microwave w/Turntable 6 Gal. LP Water Heater Water Heater Bypass Large Stainless Steel Sink Fire Extinguisher Smoke Detector LPG Leak Detector 7 Gal. Dual LP Bottles w/ Regulator & Auto-Changeover **Electrical** Electric Cable Hatch/Storage Compartment

 I20V G.F.I. Protected Circuits

 Prewired for Optional A/C

 Wall-Switched Patio Light

 Hitch Light

 AM/FM Cassette Stereo

 TV Antenna/Park Cable

 Wilderness Popular Options

 I3.5M BTU A/C

 Tinted Safety Glass Windows

 Spare Radial Tire w/ Carrier


Carpeting in Living Area & Bedroom Decor Mirror Doors


Not all models include all features. See your dealer for complete details.


# FLEETWOOD, RV

















Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

9




1999 WILDERNESS FLOOR PLANS



Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

▲ = *Exterior* Storage





Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

# **1999 WILDERNESS SPECIFICATIONS**

Travel Trailers & Fifth Wheels

WILDERNESS MODELS	19N	24C	24J	26H	26 <b>T</b>	27X	295	31G
GVWR (Gross Vehicle Weight Rating)	5,400	6,300	6,100	7,700	6,800	6,700	7,300	8,600
Gross Dry Weight <sup>1</sup>	3,740	4,440	4,270	5,770	4,790	4,830	5,250	6,420
Carrying Capacity <sup>2</sup>	I,660	1,860	I,830	1,930	2,010	I,870	2,050	2,180
Hitch Dry Weight <sup>1</sup>	400	530	560	610	610	540	590	840
Dry Axle Weight	3,340	3,910	3,710	5,160	4,180	4,290	4,660	5,580
Length <sup>3</sup>	20'6"	25'9"	25'11"	27'7''	28'3"	28'0"	31'0"	31'10"
Width <sup>6</sup>	8'0''	8'0''	8'0''	8'0"	8'0''	8'0''	8'0''	8'0''
Height <sup>4</sup>	8'11"	8'11"	8'11"	9'6"	9'0''	9'0''	9'0''	9'6"
Tires – Size (Radials)	ST205/	ST205/	ST205/	ST205/	ST205/	ST205/	ST205/	ST225/
	75R I5(B)	75R 15(C)	75R I5(B)	75R I5(C)	75R I5(C)	75R I5(C)	75R 15(C)	75R I5(C)
Fresh Water Tank⁵ – gal.	40	40	40	40	40	40	40	40
Gray Water Holding Tank⁵ – gal.	40	40	40	40	40	40	40	40
Black Water Holding Tank <sup>5</sup> – gal.	40	40	40	40	40	40	40	40
LPG Capacity – gal.	14	14	14	I4	I4	I4	14	14
Bed Size – Standard	53"x75" Dbl.	53"x75" Dbl.	53"x75" Dbl.	60"x75" Queen				
						29"x76" Bunks	29"x76" Bunks	29"x76" Bunks
Bed Size – Option	29"x76" Bunk	29"x76" Bunk	N/A	N/A	32"x75" Twin	N/A	32"x75" Twin	N/A

37E	37W	24 5P	25 5B	27 5 <b>K</b>	28 5S
9,900	9,900	7,900	7,900	8,400	9,100
7,480	7,480	6,160	6,110	6,520	7,150
2,420	2,420	I,740	1,790	1,880	I,950
I,080	1,080	1,030	I,I40	1,350	I,300
6,400	6,400	5,130	4,970	5,170	5,850
38'4"	38'4"	25'3"	26'6"	28'7"	29'II"
8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
9'6"	9'6"	II'7"	II'7"	11'7"	II'7"
ST225/	ST225/	ST205/	ST205/	ST205/	ST225/
75R 15 <b>(</b> D <b>)</b>	75R 15 <b>(</b> D <b>)</b>	75R I5(C)	75R I5 <b>(</b> C)	75R 15(C)	75R 15(C)
N/A	40	40	40	40	40
40	40	40/21	40	40	40
40	40	40	40	40	40
I4	14	I4	I4	14	I4
60"x80" Queen	60"x80" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen
29"x76" Bunks	29"x76" Bunks				29"x72" Bunks
32"x75" Twin	32"x75" Twin			32"x75" Twin	



- <sup>1</sup> All dry weights are based on standard model features and do not include optional features or equipment.
- <sup>2</sup> Carrying Capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying Capacity includes all fluids, optional equipment and personal cargo.
- <sup>3</sup> Trailer length includes 3'6" for hitch, 5th wheel includes pin box.
- <sup>4</sup> Add 12" if equipped with optional roof air conditioner.
- <sup>5</sup> Approximate gallons.
- <sup>6</sup> Add 3" for awning
- N/A = Not available at time of printing.



### **1999 WILDERNESS STANDARD FEATURES**

Travel Trailers & Fifth Wheels

### Exterior

Gloss Exterior Metal Finish Construction Steel Channel or Paco I-Beam, Cambered Chassis Tandem Axle w/4 Wheel Electric Brakes Radial Ply Tires w/White Spoke Wheels Rear Bumper w/Sewer Hose Carrier Retractable Non-Skid Entry Step Locking, Insulated Luggage Doors w/Finger Pulls Front Radiused Rockguard Awning (Travel Trailers) One-Piece Seamless Roof Radius Roof Truss Rafters Blanket Fiberglass Insulation 30" Wide Main Entry Door w/Window Flush Combo Entry Latch/Dead Bolt Lock Reinforced Screen Door w/Lock Shield & Kick Panel Radiused Slider and Torque Windows LPG Tank Cover (Travel Trailers) Skylight Roof Vents Hitch Light Wall-Switched Doorside Patio Light Welded Dual Battery Rack (Travel Trailers) Waste Tank Single Point Termination Valve Sonic-Welded, Automotive-Style Clearance Lights G.F.I. Protected I20V Duplex Receptacle A&E Patio Awning

### Interior

Quality Furniture by Flexsteel® Color-Coordinated Designer Interiors Oak Raised Panel Cabinet Doors Face Frame Cabinet Construction

Overhead Dinette Storage Cabinet (Select Models) Box-Wrapped Valance Window Treatment Comfortable Innerspring Mattresses Decor-Coordinated Bedspread Miniblinds Throughout (Except Bunks) Galley Double Bowl Stainless Steel Sink High Pressure Laminate Countertop Overhead Cabinet Microwave Oven Overhead Storage Cabinet Above Sink Pantry Cabinet (Most Models) I20V Appliance Receptacle at Countertop Bath Large Lavy Bowl Medicine Cabinet w/Mirrored Oak Door Fresh Water Flush Toilet One-Piece ABS Tub Walls 12V Power Roof Exhaust Vent Shower Curtain G.F.I. Protected I20V Duplex Receptacle Wall-Switched Ceiling Light Appliances/Equipment Dometic<sup>®</sup> Double Door LP/Electric Refrigerator

Magic Chef<sup>®</sup> 3-Burner, High-Output Range w/Oven Range Hood w/I2V Light and Exhaust Fan Wall-Mounted Systems Monitor Panel Water Heater Bypass hydroflame<sup>®</sup> Forced Air, D.S.I. Furnace w/Thermostat In-Floor Rigid Heat Ducting In-Ceiling Rigid Air Conditioning Ducting Dual 7 Gallon LPG Tanks w/Regulator & Auto-Changeover Smoke Detector Fire Extinguisher Freeze-Resistant Water Lines LPG Leak Detector Electrical Electronic Converter w/Built-in Battery Charger 120V Central Electrical Panel 120V Duplex Receptacles Throughout 120V Ground Fault Circuit Protection **I20V** Patio Receptacle Wall-Switched Interior Lights TV Antenna Prewired for Roof Air Conditioner AM/FM Cassette Stereo Cable TV Hook-Up Wilderness Popular Options


Living Room/Bedroom Carpet Coleman® Ducted Central Air Conditioning Exterior Shower Safety Glass Windows Foot Pedal Toilet Free-Standing Swivel Rocker I20V/LP Fast Recovery Water Heater Spare Tire Radius Luggage Doors Radius Entry Door

Not all models include all features. See your dealer for complete details.

FLEETWOOD, RV




**1999 WILDERNESS GL FLOOR PLANS** 




▲ = Exterior Storage
 Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.













▲ = *E*xterior Storage





Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

17

# **1999 WILDERNESS GL SPECIFICATIONS**

Travel Trailers & Fifth Wheels

WILDERNESS GL MODELS	26H	26T	27F	29B	295	31G	33P	37W
GVWR (Gross Vehicle Weight Rating)	8,300	7,300	8,600	8,800	8,000	9,200	9,700	10,700
Gross Dry Weight <sup>1</sup>	6,180	5,200	6,430	6,610	5,830	6,780	7,200	7,810
Carrying Capacity <sup>2</sup>	2,120	2,100	2,170	2,190	2,170	2,420	2,500	2,890
Hitch Dry Weight <sup>1</sup>	670	660	885	940	630	890	940	1,110
Dry Axle Weight	5,570	4,540	5,543	5,670	5,200	5,890	6,260	6,700
Length	27'8" <sup>3</sup>	28'2"3	28'11"	30'2"	31'0"3	31'10"3	34'3"3	38'4"3
Width	8'0"	8'0''	8'0''	8'0''	8'0"	8'0"	8'0"	8'0"
Height <sup>4</sup>	9'6"	9'0''	9'6"	9'6"	9'0''	9'6"	9'6"	9'6"
Tires – Size (Radials)	ST225/	ST205/	ST225/	ST225/	ST225/	ST225/	ST225/	ST205/
	75R I5(C)	75R 15(C)	75R I5(C)	75R I5(C)	75R I5(C)	75R 15(C)	75R I5 <b>(</b> D <b>)</b>	75R 15(D)
Fresh Water Tank⁵ – gal.	40	40	40	40	40	40	40	40
Gray Water Holding Tank <sup>5</sup> – gal.	40	40	40	40/21	40	40	40/21	40
Black Water Holding Tank⁵ – gal.	40	40	40	40	40	40	40	40
LPG Capacity – gal.	I4	14	14	I4	I4	14	14	14
Bed Size – Standard	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x80" Queen
					29"x76" Bunks	29"x76" Bunks		29"x76" Bunks
Bed Size – Option	32"x75" Twin	32"x75" Twin			32"x75" Twin			32"x75" Twin

26 5E	27 5J	30 5G	30 5X	31 5R	32 5Z	34 5B
9,000	9,000	10,900	10,800	II,400	12,400	13,500
6,730 <sup>6</sup>	6,850	7,945	7,8606	8,5506	8,8006	9,6506
2,270	2,150	2,955	2,940	2,850	3,600	3,580
I,200	1,130	1,550	1,550	I,860	1,700	1,930
5,530	5,720	6,395	6,310	6,690	7,100	7,720
27'I"	27'10"	31'1"	31'4"	33'0"	32'7"	35'5"
8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
11'0''	II'7"	11'5"	11'5"	11'8"	II'7"	II'9"
ST225/	ST225/	ST225/	ST225/	ST225/	ST225/	ST235/
75R 15(C)	75R 15(C)	75R 15(D)	75R 15 <b>(</b> C)	75R I5(D)	75R I5(D)	85R I6 <b>(</b> E)
50	40	50	50	40	50	50
40/21	40/21	40	40/21	40	40/30	40/21
40	40	40	40	40	40	40
I4	14	I4	I4	I4	I4	I4
60"x80" Queen	60"x75" Queen	60"x80" Queen	60"x80" Queen	60"x75" Queen	60"x80" Queen	60"x75" Queen
32"x75" Twin	32"x75" Twin	32"x75" Twin	32"x75" Twin	60"x80" Queen	32"x75" Twin	32"x75" Twin



- <sup>1</sup> All dry weights are based on standard model features and do not include optional features or equipment.
- <sup>2</sup> Carrying Capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying Capacity includes all fluids, optional equipment and personal cargo.
- <sup>3</sup> Includes 3'6'' for hitch.
- $^{4}$  Add 12  $^{\prime\prime}$  if equipped with optional roof air conditioner.
- <sup>5</sup> Approximate gallons.
- <sup>6</sup> Add 400 lbs. for optional bedroom slide-out.



### **1999 WILDERNESS GL STANDARD FEATURES**

# Travel Trailers & Fifth Wheels

#### Exterior

Smooth Fiberglass Sidewalls Prewired for DSS Satellite Construction Steel Channel, or I-Beam Cambered Chassis Tandem Axle w/4 Wheel Electric Brakes Radial Ply Tires w/ White Spoke Wheels Powder Coated Rear Bumper w/ Sewer Hose Carrier Retractable Non-Skid Double or Triple Entry Step Radius Locking, Insulated Luggage Doors w/ Finger Pulls Front Radiused Rockguard Awning (Travel Trailers) One-Piece Seamless Rubber Roof Engineered Radius Roof Truss Rafters R-7 Blanket Fiberglass Insulation 30" Wide Main Entry Door w/ Window Flush Combo Entry Latch/Dead Bolt Lock Reinforced Screen Door w/ Lock Shield & Kick Panel Smoke Tint White Framed Compression Style Windows LPG Tank Cover (Travel Trailers) Skylight Roof Vents A&E Patio Awning Convenience Lighting - Hitch and Roadside Utility Wall-Switched, Doorside Patio Light Welded, Dual Battery Rack (Travel Trailers) Waste Tank Single Point Termination Valve Sonic-Welded, Automotive-Style Clearance Lights G.F.I. Protected I20V Duplex Receptacle

### Interior

Quality Furniture by Flexsteel® Color-Coordinated Designer Interiors Oak Frame Cabinet Doors w/ Oak Raised Inserts Face Frame Cabinet Construction Overhead Dinette Storage Cabinet (Select Models) Box-Wrapped Valance Window Treatment w/ Curtain End Panels Living Area & Bedroom Carpet w/ Foam Padding Comfortable Innerspring Mattresses Decor-Coordinated Bedspread w/ Reversible Sham Wall-Mounted I20V Decor Lights Wainscot Molding Miniblinds Throughout Curtains in Bunk Areas

### Galley

Double Bowl Porcelain Sink Single Lever Residential Faucet High Pressure Laminate Countertop Overhead Storage Cabinet Above Sink Pantry Cabinet w/ Removable Shelves (Most Models) I20V Appliance Receptacle at Countertop Spice Shelf Large Pot/Pan Drawer (Most Models) Knife Block

### Bath

Large Lavy Bowl Medicine Cabinet w/ Mirrored Oak Door Foot Operated Fresh Water Flush Toilet One-Piece ABS Tub Walls I2V Power Roof Exhaust Vent Shower Curtain w/ Tie Back G.F.I. Protected I20V Duplex Receptacle Wall-Switched Ceiling Light Skylight in Tub/Shower

#### Appliances/Equipment

Electronic Microwave Oven w/ Turntable Dometic<sup>®</sup> Double Door LP/Electric Refrigerator Magic Chef<sup>®</sup> 3-Burner, High-Output Range w/ Oven Range Hood w/I2V Light and Exhaust Fan Wall-Mounted Systems Monitor Panel LP/D.S.I. Fast Recovery Water Heater, 6 Gal. Water Heater Bypass hydroflame® Forced Air, D.S.I. Furnace w/ Thermostat In-Floor Rigid Heat Ducting In-Ceiling Rigid Air Conditioning Ducting Dual 7 Gallon LPG Tanks w/ Regulator & Auto-Changeover Smoke Detector Fire Extinguisher TV Antenna Freeze-Resistant Water Lines LPG Leak Detector Electrical Electronic Converter w/ Built-in Battery Charger 120V Central Electrical Panel 120V Duplex Receptacles Throughout 120V Ground Fault Circuit Protection 120V Patio Receptacle

Wall-Switched Interior Lights

Prewired for Roof Air Conditioner

AM/FM Cassette Stereo

Cable TV Hook-Up

I2V Power Jack (Fifth Wheels Only)

## Wilderness Popular Options Coleman<sup>®</sup> Central Air Conditioning (Duct is Standard)

Free-Standing Swivel Rocker Plank Flooring I20V/LP/D.S.I. Fast Recovery Water Heater Spare Tire AM/FM CD Player Not all models include all features. See your dealer for complete details.

FLEETWOOD. RV

**1999 WILDERNESS GLX FLOOR PLANS** 




## ALL NEW MODELS!






**355¥** fifth wheel







21

# **1999 WILDERNESS GLX SPECIFICATIONS**

Travel Trailers & Fifth Wheels

WILDERNESS GLX MODELS	34 5B	34 5L	35 5¥	
GVWR (Gross Vehicle Weight Rating)	13,400	13,600	13,500	
Gross Dry Weight <sup>1</sup>	10,350	10,550	10,430	
Carrying Capacity <sup>2</sup>	3,050	3,050	3,070	
Hitch Dry Weight <sup>1</sup>	2,190	2,030	2,160	
Dry Axle Weight	8,160	8,520	8,270	
Length	35'11"	35'10"	36'2"	
Width	8'0"	8'0"	8'0"	
Height <sup>3</sup>	12'6"	12'6"	12'6"	
Tires – Size (Radials)	LT235/85R 16 <b>(E)</b>	LT235/85R 16 <b>(</b> E <b>)</b>	LT235/85R 16 <b>(E)</b>	
Fresh Water Tank <sup>4</sup> – gal.	60	60	60	
Gray Water Holding Tank⁴ – gal.	40/21	40	40	
Black Water Holding Tank <sup>4</sup> – gal.	40	40	40	
LPG Capacity – gal.	I4	14	14	
Bed Size – Standard	60"x80" Queen	60"x80" Queen	60"x80" Queen	

<sup>1</sup> All dry weights are based on standard model features and do not include optional features or equipment.

<sup>2</sup> To determine carrying capacity, subtract Gross Dry Weight from GVWR. Carrying capacity includes all fluid, optional equipment and personal cargo.

<sup>3</sup> Add 12" if equipped with optional air conditioner.

<sup>4</sup> All liquid capacities are approximate.

<sup>5</sup> Includes 3'6" for hitch.

N/A = Not available at time of printing.



### **1999 WILDERNESS GLX STANDARD FEATURES**

# Travel Trailers & Fifth Wheels

#### Exterior

Smooth Fiberglass Exterior Sidewalls Fiberglass Front Cap Aluminum Frame Construction Tufcap<sup>®</sup> Fiberglass Rear Dual Battery Compartment (Enclosed) Integrated Tail Lights One-Piece Rubber Roof Blanket Fiberglass Insulation 30" Wide Radiused Main Entry Door Flush Mount, Combo Entry Latch/Dead Bolt Lock Potable Water Fill Convenience Lighting - Hitch/LP Tanks/Roadside High-Strength Welded Paco I-Beam, Cambered Chassis Exterior Shower Radial Ply Tires w/ White Spoke Wheels Polyethylene Wheel Well Skirts Non-Skid, Retractable, Triple Entry Steps Locking, Insulated, Radiused Luggage Doors w/ Finger Pulls Tandem Axle w/4 Wheel Electric Brakes Large, Solar-Reflective White Framed Radiused Windows (Torque & Slider) 12V Power Jack (Fifth Wheels Only) Roof Rack and Ladder Shock Absorbers In-Chassis Spare Tire Carrier Pass Through Exterior Storage Large Super Slide-Out Living Area Bedroom Slide-Out w/ Vanity (Some Models) Fully Enclosed, Heated Holding Tanks w/ Remote Valve Power Landing Gear A&E Patio Awning

# Interior

2 Color-Coordinated Decors Full Face Frame Cabinetry Oak Framed Cabinet Doors w/ Oak Raised Inserts Deluxe Carpet w/ Foam Pad in Living Room and Bedroom Upgraded Innerspring Mattress Bed Top Lift Mechanism to Storage Area (Queen & Double Beds) Oak Dinette Table w/4 Chairs Quality Flexsteel® Sleeper Sofa Free-Standing Lounge Recliner (2) Decor Wall Border w/ Wainscot Molding Color-Coordinated Bedspread w/ Pillow Shams I20V Wall Mount Decor Lights in Living Area 120V Ceiling Light at Dinette Designer Window Treatments Color-Coordinated Miniblinds Adjustable Reading Lights Over Beds Magazine Rack Knife Rack Plank Wood Flooring in Entry

### Appliances/Equipment

Large Dometic<sup>®</sup> Double Door LP/Elect. Refrigerator Raised Panel Refer Insert Deluxe Sealed 3-Burner, High-Output Range w/ Oven Range Hood w/ Light and Exhaust Fan Wall-Mounted Systems Monitor Panel LP/I20V D.S.I. Water Heater - I0 Gal. hydroflame® D.S.I. Furnace w/ Thermostat In-Floor Rigid Heat Ducting In-Ceiling Rigid Air Conditioning Ducting Deluxe Residential AM/FM Stereo CD Player w/ 4 Speakers Park Cable TV Hook-Up Connection Dual 7 Gal. LPG Tanks w/ Sight Gauge & Auto-Changeover Electronic Microwave Oven w/ Turntable Smoke Detector Fire Extinguisher TV Antenna Satellite Dish Ready Phone Jack Washer/Dryer Ready (Most Models)



### Galley

Double Bowl White Porcelain Sink w/ Cutting Board Cover Upgrade High Rise Dual Handle Faucet High Pressure Laminate Countertop Spice Tray Plank Wood Flooring Knife Block

### Bath

Large Medicine Cabinet w/ Mirrored Door One-Piece ABS Tub/Shower Walls Glass Tub Enclosure Bath Skylight I2V Power Roof Exhaust Vent Fresh Water, Foot-Operated Flush Toilet Wall-Switched Ceiling Light 3-Bulb Vanity Light

#### Electrical


40 Amp, I2V All Electronic Converter w/ Battery Charger I20V Central Electrical Panel I20V Receptacles Throughout I20V Ground Fault Circuit Protection I20V Patio Receptacle Wall-Switched Interior Lights Reading Lights Fluorescent Lights (Galley & Bedroom) Electric Slide-Outs


#### **Popular Options**

Coleman® Central Air Conditioning (Duct is Standard) Generator Ready Slide-Out Topper Awning Double Insulation In-Ceiling and Floor Full Entertainment Center w/ TV, VCR & CD Player w/ Changer Day/Night Shades Throughout Smooth High Gloss Gel Coat Fiberglass Exterior Sidewalls


Not all models include all features. See your dealer for complete details.

DERNESS 1999 SPORT UTILITY TRAILER FLOOR PLANS & SPECIFICATIONS









Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

WILDERNESS SUT MOD	ELS 24B	26A	33 5G
GVWR (Gross Vehicle Weight Rat	ting <b>)</b> 9,500	9,600	I1,600
Gross Dry Weight <sup>1</sup>	6,010	6,150	7,480
Carrying Capacity (Dry)	3,490	3,450	4,120
Hitch Dry Weight <sup>1</sup>	820	920	1,850
Dry Axle Weight	5,190	5,230	5,630
Overall Length <sup>2</sup>	27'11"	29'7"	33'7"
Body Length	24'6"	26'2"	33'7"
Width	8'5"	8'5"	8'5"
Height	10'9''	10'9"	11'1"
Frame Clearance	18"	18"	18"
Tires – Size (Radials)	ST225/75R 15(C)	ST225/75R 15(C)	ST225/75R 15(D)
Fresh Water Tank – gal.	50	50	50
Gray Water Holding Tank – gal.	40	40	40
Black Water Holding Tank – gal.	40	40	40
Appliance LPG Capacity – gal.	14	14	14
Bed Size – Standard	76"x38" Dinette/Sleeper	78"x49" Dbl.	80"x60" Queen
		76"x38" Dinette/Sleeper	76"x38" Dinette/Sleeper
	93"x60" Queen Loft	93"x60" Queen Loft	93"x60" Queen Loft

<sup>1</sup> All dry weights are based on standard model features and do not include optional features or equipment.

<sup>2</sup> Includes 2'6" for hitch.<sup>2</sup> Includes 2'6" for hitch.

Oak Frame Cabinet Doors

#### EXTERIOR

Gloss Exterior Metal Finish Construction Steel Channel, Cambered Chassis Tandem Axle w/4 Wheel Electric Brakes Radial Ply Tires w/ White Spoke Wheels Retractable Non-Skid Entry Step Locking, Insulated Luggage Doors w/ Finger Pulls **One-Piece Seamless Roof** Blanket Fiberglass Insulation 24" Wide Entry Door w/ Window Flush Combo Entry Latch / Dead Bolt Lock Reinforced Screen Door w/ Lock Shield & Kick Panel Radiused Slider and Torque Windows Skylight Roof Vents Hitch and Roadside Utility Lights Wall-Switched Doorside and Rear Patio Lights Welded Dual Battery Rack (AFB Models Only) Waste Tank Single Point Termination Jack Sonic-Welded, Automotive-Style Clearance Lights G.F.I. Protected I20V Duplex Receptacle Exterior Shower Large Ramp Door Roof Rack & Ladder

### INTERIOR

Cargo Bay (8) Load Tie Downs Color-Coordinated Designer Interiors Face Frame Cabinet Construction Overhead Dinette Storage Cabinets Sock Valances w/ Curtain End Panel Pullshades and /or Miniblinds Throughout Comfortable Innerspring Mattress Separate Sleeping Areas Queen Size Bed Loft ELECTRICAL 4.8 KW Generator Ready w/25 Gal. Gas Tank (AFB Models Only) Electronic Converter w/ Built-In Battery Charger 120V Central Electric Panel 120V Duplex Receptacles Throughout 120V Ground Fault Circuit Protection 120V Patio Receptacle Wall-Switched Interior Lights APPLIANCES/EQUIPMENT Dometic<sup>®</sup> Double Door LP/Electric Refrigerator Magic Chef<sup>®</sup> 3-Burner High Output Range w/ Oven Range Hood w/I2V Light and Exhaust Fan Wall-Mounted Systems Monitor Panel hydroflame® Forced Air, D.S.I. Furnace w/ Thermostat Safety Package: Smoke, LPG Gas, & CO Detectors Dual 7 Gal. LPG Tanks w/ Regulator & Auto-Changeover Fire Extinguisher - I0 BC

50 Gallon Fresh Water Tank Stereo - AM/FM Cassette 12V w/ Speakers TV Antenna w/ Park Antenna Receptacle **GALLEY** Double Bowl Stainless Steel Sink High Pressure Laminate Countertop Overhead Cabinet Microwave Oven Overhead Storage Cabinet Above Sink 120V Appliance Receptacle at Countertop

### BATH


Fresh Water Flush Toilet 12V Power Roof Exhaust Vent Shower Curtain G.F.I. Protected 120V Duplex Receptacle


### SUT POPULAR OPTIONS

12V Power Jack (AFB Models Only) Stereo – AM/FM CD 12V w/ Speakers 15 ft. Awning 4.8 KW Generac® Generator Exterior Flood Lights (Fifth Wheel Only) A/C 13M BTU 50 Gallon Additional Fresh Water Tank Spare Radial Tire Shock Absorbers (Fifth Wheel Only) Ramp Door w/ Diamond Plate Ramp Door w/ Non Skid Surface Screen Partition for Rear Door Opening Ceiling Fan (Fifth Wheel Only) Not all models include all features. See your dealer for complete details.









Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details

WILDERNESS PARK TRAILER MODE	LS <b>39F</b>	39 <b>T</b>	39W
GVWR (Gross Vehicle Weight Rating)	11,000	11,000	10,800
Gross Dry Weight <sup>1</sup>	8,380	8,760	8,440
Hitch Dry Weight <sup>1</sup>	840	970	960
Overall Length <sup>2</sup>	39'10"	39'10"	39'10"
Body Length	37'3"	37'3"	37'3"
Width	8'6"	8'6"	8'6"
Height <sup>3</sup>	10'2"	10'2"	10'2"
Tires – Size (Radials)	ST225/75R 15	ST225/75R 15	ST225/75R 15
Tire Load Range	D	D	D
Appliance LPG Capacity – gal.	20 (opt.)	20 (opt.)	20 (opt.)
Bed Size – Standard	60"x80" Queen	60"x75" Queen	60"x80" Queen
Bed Size – Option	N/A	N/A	54"x75" Dbl.

 All dry weights are based on standard model features and do not include optional features or equipment.
 Includes 2'6" for hitch.
 Add 12" if equipped with optional roof air conditioner.

### **1999 WILDERNESS PARK TRAILER STANDARD FEATURES**

#### EXTERIOR

Gloss Exterior Metal Finish One-Piece Seamless Roof Skylight Roof Vents Power Bath Vent Flush Floor Slide-Out Rooms Square Verticle Slider Windows Bay Front Windows Flush Latch/Dead Bolt on Second or Hinged Entry Door 60"x76" Sliding Glass Patio Door

#### INTERIOR

Washer/Dryer Ready (F&T Models Only) Double Bowl Porcelain Galley Sink Residential Toilet Miniblinds Throughout Built-in Spice Shelf Brass Towel Bar Glass Shower Doors ABS Tub Walls Patio Door Vertical Blind Sliding, Mirrored Wardrobe Doors Carpet w/ Foam Pad (Living Room & Bedroom) Heavy Duty Vinyl Flooring In-Floor Ducted Heating A/C Ready w/ In-Ceiling Ducting

Skylight - Bath Ceiling Fan Ready Sleeper Sofa Free Standing Chair (I) Standard Oak Cabinet Doors **APPLIANCES/EQUIPMENT** 15 cu. ft. Residential Magic Chef® Refrigerator Magic Chef<sup>®</sup> 4-Burner, Free-Standing Range Range Hood with Light & Fan 0.9 cu. ft. Electronic Touch Samsung® Microwave w/ Turntable 120V LP Furnace with Thermostat 10 Gal. LP/120V Water Heater Fire Extinguisher Smoke Detector LPG Leak Detector Phone Jacks TV Antenna w/ Booster AM/FM Stereo Cassette w/4 Speakers ELECTRICAL 50-Amp Electrical Service 120V G.F.I. Receptacles in Galley and Bath Slide-Out w/ Wall Switched Ceiling Lights and Decor Lights Cable TV Hook-Up TV Antenna

Patio Light & Exterior G.F.I. Receptacle

Dinette Hanging Lamp Pre-wired for Digital Satellite System PARK TRAILER POPULAR OPTIONS Stabilizing Jacks Awning Exterior Shower Marine Toilet w/ Holding Tanks Dual 10 Gallon LP Tanks Platform or Retractable Entry Step Ice Maker Washer/Dryer (F&T Models Only) 19 Gallon Electric Water Heater 30-Amp Electrical Service Safety Glass Windows Storm Windows Thermopane Patio Door Plank Flooring Ceiling Fan(s) Air Conditioner – 15M BTU Lounge Recliner Coffee Table AM/FM CD Stereo w/4 Speakers Crank Out Slide-Out Raised Floor Slide-Outs Not all models include all features. See your dealer for complete details.





### **Genuine Customer Support**

Fleetwood is committed in every way to making your Wilderness the best RV you've ever owned, starting with a quality RV, then treating you as a valued customer. Wilderness owners look forward to:

### New 2 Year Full Warranty

Fleetwood's comprehensive 2 year full warranty and service program, OwnerCare, means Fleetwood is committed to total customer satisfaction. It's one of the most comprehensive warranty and service programs in the industry. It provides total coverage on the construction, systems and appliances in your RV, with no deductible and no service charge. *Park trailer bas full one year warranty. See dealer for details.* 

### **Excellent Customer Satisfaction**

According to an ongoing independent survey by a nationally known research firm, more than nine out of 10 Fleetwood RV owners would recommend Fleetwood to their friends and relatives. We are dedicated to the most comprehensive Quality Control Program in the industry. We will even contact you after you've purchased to make sure you're completely satisfied.

### 24-hours-a-day Roadside Assistance

When you purchase a new 1999 Wilderness Travel Trailer or Fifth Wheel, you'll receive free RV Emergency Road Service for one year. You can call any time, 24-hours-a-day, and receive free towing, lockout assistance or help changing a flat tire. Complimentary roadside assistance is just one more reason why you can be sure your vacation is filled with more fun and less hassles, whether you're traveling through the US or Canada. Ask your Fleetwood dealer for all the details.



### The Fleetwood RV Racing Story

Fleetwood RV is a proud sponsor of Winston Cup driver Dale Jarrett and Robert Yates Racing. It's a winning combination that makes it easier than ever to capture all the excitement of racing. As the Official Recreational Vehicle of California Speedway, Daytona

International Speedway, Phoenix International Raceway and Talladega Superspeedway, look for Fleetwood RV at these tracks to enhance your RV experience on race day.

### IMPORTANT - PLEASE READ:

Product information included in this brochure was as accurate as possible at the time of publication. Subsequent refinements may be evident in the actual product. Prices and specifications are subject to change without notice. All liquid capacities are approximate and dimensions are nominal. Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

© 1998 Fleetwood Enterprises, Inc. Litho in USA 12/98 Second Edition Inventory Control No. 529902

Fleetwood Enterprises, Inc. P.O. Box 2875 Van Nuys, CA 91404-2875

### Dear Friend,



Here at Fleetwood RV, we have more than 200 people working on research and development. But we get our best ideas when we hit the road in our recreational vehicles. Talking to people like you and noticing for ourselves little ways to make RVing more comfortable, more convenient and more fun.

If I had two pieces of free advice to give a friend in the market for a recreational vehicle, the first would be to get a Fleetwood RV. Not

because we need to sell one more. Heck, we sell more than anyone else. But because I know we build the best product out there for the money.

Second, really think about your dealer. He has to be someone you trust for advice, service and accessories. Only the best get to be Fleetwood dealers in the first place. Then we work with them to continually improve customer satisfaction. That's why nine out of 10 owners would recommend their Fleetwood RV to a friend, and nine out of 10 would also recommend their Fleetwood RV dealer.

I hope that helps. And I also hope I see you out there, somewhere in this beautiful world, enjoying your new Fleetwood RV while I'm out there doing the same.

Sincerely,

John C. Crean John & Brean

Chairman Emeritus and Founder Fleetwood Enterprises, Inc.

Your local Wilderness dealer is:

If your local dealer is not indicated, write to the address below, call us toll-free 24-hours-a-day at

> Å Å Å or visit our website at www.fleetwood.com

