TRAVEL TRAILER

PROUDLY <u>Millers</u>burg Ma<u>de</u> SINCE 1974



Flagstaff

BY FOREST RIVER



### Includes:\*

- 3kW Inverter-charger
- 160A Charge Capacity
- (5) 200W GoPower®
- Integrated 60A
- Centralized System Disconnect Switch
- 13,500 BTU A/C w/Soft Start Technology







LENGTH: 22' 4" WIDTH: 8' HEIGHT: 10' 11" HITCH: 681 AXLE: 4237


UVW: 4977 CCC: 1864 🌓 54 GAL 🄞 30 GAL 🚯 30 GAL



# **21**FBRS

LENGTH: 22' 4" WIDTH: 8' HEIGHT: 10' 3" HITCH: 557 AXLE: 3877

UVW: 4493 CCC: 1344 🏮 54 GAL 📵 30 GAL 🚯 30 GAL





LENGTH: 23'10" WIDTH: 8' HEIGHT: 10'11" HITCH: 634 AXLE: 4439











## Construction

### **SUPERIOR CONSTRUCTION**

- 1. Complete Composite Wall Construction
- 2. Fully Laminated Walkable Roof
- 3. 6-Sided Full-Aluminum Frame
- 4. Aluminum Truss Roof Bracing
- 5. 5/8" Tongue & Groove Plywood Floor
- 6. Aluminum Floor Joists
- 7. Frameless Windows
- 8. Painted Fiberglass Front Cap w/Clear Coat<sup>1</sup>
- 9. Automotive Glass Windshield

### **STANDARD FEATURES**

- 200W Solar Panel with 1800W Inverter
   30 AMP Charge Controller
- 11. Back-Up Camera Prep
- 12. Maxxair Fan with Cover
- 13. Winegard Air 360+ Prepped for Wi-Fi
- 14. Key-Alike Lock System
- 15. Slam Baggage Doors

- 16. Sport Tire and Wheel Package
- 17. PSX2 Power Stabilizers<sup>2</sup>
- 18. Additional Solar Prep
- 19. Double Battery Boxes
- 20. Double 30 Lb. LP Tanks

### **SAFETY STANDARDS**

- 21. Nitrogen-Filled Goodyear Endurance Tires w/ TST Tire Pressure Monitor System
- 22. Dexter® Torflex® Axles
- 23. MORryde Strut Assist Steps<sup>3</sup>

### CLIMATE PROTECTION PACKAGE

- 24. 12V Thermostat-Controlled Heated Tanks
- 25. Radiant Foil In Front Cap

### **Optional Features**

- 26. Power Package (N/A 21FBRS, 25FKS, 25FKBS)4
- 27. Additional 200W Solar Panel
- 1 Super Lite Only: Micro Lite comes with a fiberglass front cap. 2 Super Lite Only; Optional on Micro Lite.
- 3 N/A Micro Lite 21FBRS 4 Micro Lite Only.

# Slide Options

Model	i neater Seat	Hide-A-Bed	Chairs	Bootn Dinette	King Bed
Micro Lite Travel Trailers					
21DS	<b>Ø</b>	<b>⊘</b>		Standard U-Dinette	
21FBRS					
22FBS	Standard				
25FKS	<b>Ø</b>	•		Standard U-Dinette	
25BRDS	<b>Ø</b>	<b>Ø</b>		Standard U-Dinette	
25FBLS	Standard			<b>Ø</b>	
25BSDS	Standard				
25SRK	Standard	<b>Ø</b>		Standard	
25FKBS	Standard	<b>Ø</b>			
25DK	igoremsize	<b>Ø</b>		Standard	
25FBDS	Standard	<b>Ø</b>			
		Super Lite <sup>-</sup>	Travel Trailers		
26RBWS	Standard	<b>Ø</b>	<b>Ø</b>	Standard	
26FKBS	Standard	lacksquare	<b>Ø</b>	Standard	
26RKBS	Standard	<b>Ø</b>	<b>Ø</b>	Standard	
26BHW	Standard				
27BHWS	Standard	•		Standard U-Dinette	
27FBIK	Standard		<b>Ø</b>	Standard	
29RLBS	Standard	Standard		Standard	lacksquare
29RLS	Standard	Standard			
29BHS	Standard	•		Standard U-Dinette	_



## SUPER LITE

Flagstaff's Micro Lite and Super Lite provide one of the best values in the lightweight travel trailer market. Both models are built with superior build quality that exceed Flagstaff's reputation.



are run through rigorous testing protocols to ensure Flagstaff's quality standards are exceeded. We strive to provide a quality RV we're proud of and would camp in ourselves.

In 2023, our CAI facility moved to a new 16,950 FT<sup>2</sup> location in Millersburg to combine Quality, Engineering, Design, and Marketing in one location.

## **WeRV App Control**

Your RV is equipped with Lippert™ One Control®. This WiFi app-based interface provides comfort and convenience to control and monitor your RV's functions. Visit lippert.com/onecontrol for a complete list of capabilities.




# Flagsta











UVW: 5756 CCC: 1941 6 54 GAL 6 60 GAL 8 30 GAL





NEW! 25SRK

LENGTH: 25'10" WIDTH: 8' HEIGHT: 10'11" HITCH: 681 AXLE: 5112

UVW: 5852 CCC: 1829 6 54 GAL 6 60 GAL B 30 GAL





LENGTH: 25' 11" WIDTH: 8' HEIGHT: 10' 11" HITCH: 615 AXLE: 5100

UVW: 5774 CCC: 1841 🍙 54 GAL 🔓 60 GAL 🚯 30 GAL

<u> بغ</u>ذ

LENGTH: 25'11" WIDTH: 8' HEIGHT: 10'11" HITCH: 773 AXLE: 4667 UVW: 5499 CCC: 1434 6 54 GAL 6 30 GAL B 30 GAL








LENGTH: 25'10" WIDTH: 8' HEIGHT: 10'11" HITCH: 645 AXLE: 4915

UVW: 5619 CCC: 2026 6 54 GAL 6 60 GAL 8 30 GAL



26RBWS LENGTH: 29' 9" WIDTH: 8' HEIGHT: 11' 2" HITCH: 840 AXLE: 5742

UVW: 6641 CCC: 1999 \$ 54 GAL \$ 90 GAL \$ 45 GAL



26FKBS LENGTH: 29'8" WIDTH: 8' HEIGHT: 11'2" HITCH: 946 AXLE: 5831

UWW: 6836 CCC: 1910 6 54 GAL 6 90 GAL 8 45 GAL



**NEW!** 



27FBIK LENGTH: 33'1" WIDTH: 8' HEIGHT: 11'3" HITCH: 978 AXLE: 7114

UVW: 8151 CCC: 1627 6 54 GAL 6 90 GAL 6 45 GAL





26RKBS LENGTH: 29' 9" WIDTH: 8' HEIGHT: 11' 2" HITCH: 796 AXLE: 6133
UVW: 6988 CCC: 1608 5 54 GAL 6 90 GAL 4 45 GAL



27BHWS LENGTH: 32'10" WIDTH: 8' HEIGHT: 11'2" HITCH: 921 AXLE: 6330

UVW: 7310 CCC: 1411 6 54 GAL 6 90 GAL 8 45 GAL



29RLBS LENGTH: 35' 5" WIDTH: 8' HEIGHT: 11' 3" HITCH: 1100 AXLE: 7400

UVW: 8559 CCC: 1341 5 54 GAL 6 45 GAL 6 45 GAL



**29**BHS



Limited Lifetime roofing warranty.\*

\*I ifetime warranty is limited to original owner

2 Two-year fiberglass warranty.

Ten-year Torflex® axle warranty.

One-year bumper to bumper warranty.

## **Specification Definitions**

**GVWR** (Gross Vehicle Weight Rating): is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

**GAWR (Gross Axle Weight Rating):** is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

**UVW (Unloaded Vehicle Weight):** is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

CCC (Cargo Carrying Capacity): is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 IWW per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.


The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest Riiver, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest Riiver dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. © 2023 Flagstaff RIV, a Division of Forest Riiver, Inc., a Berkshire Hathaway Company. All Riights Reserved.

1 Estimated Average based on standard build optional equipment

**FREE** MEMBERSH

to Forest River Owners' Group






### RV WITH US







FOREST RIVER-



### **CUSTOMER SATISFACTION**



www.ForestRiverBuvLocal.com

### FOREST RIVER OWNER'S GUIDE

Now you can have your Owner's Manual with you wherever you are. Download our FREE App from the App Store or Google Play and you'll have the information right at your fingertips.





YOUR FLAGSTAFF DEALER



Learn More Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.





201 WEST ELM MILLERSBURG, IN 46543
WWW.FORESTRIVERINC.COM/FLAGSTAFF
574.642.2640