











TUB/ SHOWER PRIDGE BB WARD

FRIDGE BB WARD

DINETTE

OHC WARD

10' AWNING

S

S STORAGE
MICRO MICROWAVE
OHC OVERHEAD CABINETS
FRIDGE REFRIGERATOR
WARD WARDROBE

| SPECS | FLOORPLAN | EXTERIOR TRAVEL LENGTH | EXTERIOR WIDTH | EXTERIOR HEIGHT (WITH A/C) | INTERIOR HEIGHT | UNLOADED VEHICLE WEIGHT | DRY HITCH WEIGHT | GVWR | CARGO CARRYING CAPACITY | FRESH WATER Capacity (includes Water Heater) | GRAY WASTE WATER CAPACITY | BLACK WASTE WATER CAPACITY | SLEEP CAPACITY |
|-------|-----------|------------------------------|-------------------|----------------------------------|--------------------|----------------------------|---------------------|-------|-------------------------------|--|---------------------------------|-------------------------------|-------------------|
| S | 145RB | 16' 6" | 7' 1" | 9' 4" | 6' 1" | 2,045 | 220 | 3,140 | 735 | 16 | 19.9 | 19.9 | 3 |
| | 154BH | 17' 10" | 7' 1" | 9′ 4″ | 6' 1" | 2,600 | 295 | 3,450 | 850 | 26 | 19.9 | 19.9 | 4-6 |
| | 174BH | 21' 6" | 7' 1" | 9' 5" | 6' 1" | 2,945 | 270 | 3,750 | 805 | 26 | 19.9 | 19.9 | 5-8 |
| | 183RB | 21' 0" | 7' 1" | 9' 5" | 6' 1" | 3,250 | 326 | 4,100 | 725 | 26 | 19.9 | 19.9 | 2-4 |
| | 184BS | 21' 6" | 7' 1" | 9' 7" | 6' 1" | 3,240 | 360 | 4,200 | 960 | 26 | 19.9 | 19.9 | 5-8 |
| | 195RB | 21' 8" | 7' 1" | 9' 5" | 6' 1" | 2,940 | 285 | 3,750 | 810 | 26 | 19.9 | 19.9 | 3-4 |

195RB

Some specs at the time of print may include estimates. For the most accurate information, please visit Jayco.com.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of the trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists estimated weight information for that vehicle. See specifications chart above.

















C 284BHS







LEGEND S STORAGE MICRO MICROWAVE OHC OVERHEAD CABINETS FRIDGE REFRIGERATOR WARD WARDROBE

| FLOORPLAN | EXTERIOR Travel Length | EXTERIOR WIDTH | EXTERIOR HEIGHT (WITH A/C) | INTERIOR HEIGHT | UNLOADED VEHICLE WEIGHT | DRY HITCH WEIGHT | GVWR | CARGO CARRYING CAPACITY | FRESH WATER CAPACITY (INCLUDES WATER HEATER) | GRAY WASTE WATER CAPACITY | BLACK WASTE WATER CAPACITY | SLEEP CAPACITY |
|-----------|------------------------------|-------------------|-------------------------------|--------------------|----------------------------|---------------------|-------|----------------------------|--|---------------------------------|----------------------------------|-------------------|
| 212QB | 25' 6" | 8' 0" | 10' 6" | 6' 9" | 4,236 | 460 | 5,500 | 661 | 48 | 39 | 39 | 4-5 |
| 224BH | 26' 11" | 8' 0" | 10' 4" | 6' 9" | 4,405 | 400 | 5,500 | 1,095 | 48 | 39 | 39 | 7-8 |
| 235RKS | 27' 11" | 8' 0" | 11' 0" | 6' 9" | 5,505 | 550 | 7,000 | 1,495 | 44 | 78 | 39 | 2 |
| 236TH | 28′ 2″ | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | 6 |
| 237RBS | 26′ 8″ | 8' 0" | 11′ 1″ | 6' 9" | 5,380 | 598 | 6,500 | 1,120 | 46 | 78 | 39 | 2 |
| 242BHS | 29' 2" | 8' 0" | 10' 11" | 6' 9" | 5,505 | 683 | 7,000 | 1,495 | 48 | 39 | 39 | 7-8 |
| 245RLS | 28′ 1″ | 8' 0" | 11′ 2″ | 6' 9" | 5,280 | 555 | 7,000 | 1,720 | 46 | 39 | 39 | 4-5 |
| 264BH | 29′ 3″ | 8' 0" | 10′ 5″ | 6' 9" | 4,595 | 470 | 6,000 | 1,905 | 48 | 39 | 39 | 4-5 |
| 265RLS | 30' 11" | 8' 0" | 11' 0" | 6' 9" | 6,005 | 710 | 7,150 | 370 | 44 | 39 | 39 | 4-6 |
| 267BHS | 30′ 2″ | 8' 0" | 11′ 1″ | 6' 9" | 5,870 | 665 | 7,000 | 1,130 | 44 | 39 | 39 | 8-10 |
| 284BHS | 33' 5" | 8' 0" | 11' 0" | 6' 9" | 6,245 | 770 | 7,500 | 1,225 | 44 | 39 | 39 | 8-10 |
| 287BHS | 33' 5" | 8' 0" | 11' 0" | 6' 9" | 6,171 | 670 | 7,500 | 703 | 44 | 39 | 39 | 8-10 |
| 294QBS | 35′ 5″ | 8' 0" | 11′ 2″ | 6' 9" | 6,690 | 810 | 8,250 | 1,560 | 48 | 47.5 | 39 | 8-14 |
| 324BDS | 36' 2" | 8' 0" | 11' 2" | 6' 9" | 7,663 | 1,350 | 9,000 | 682 | 46 | 41 | 39 | 8-14 |

D

Some specs at the time of print may include estimates. For the most accurate information, please visit Jayco.com.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of the trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists estimated weight information for that vehicle. See specifications chart above.

JAY FLIGHT SLX 7 STANDARDS & OPTIONS

STANDARD EXTERIOR EQUIPMENT

Dexter® axles with Nev-R-Adjust® brakes and E-Z Lube® hubs

Cambered, steel box tube frame

Fully-integrated A-frame

Magnum Truss™ Roof System with seamless DiFlex II material

Large exterior downspouts

Front window

30-amp service

20 lb. propane bottle

Exterior cable TV hookup

LED exterior lighting

Dark tinted safety glass privacy windows

Water heater bypass

Spare tire with cover

2-burner range

3 cu. ft. refrigerator with temperature controls

Microwave oven

Keyed-Alike™ entry and baggage doors

OPTIONS

Customer Value Package (mandatory)

13,500-BTU, roof-mounted A/C

Queen bedspread and pillows (select models)

Fiberglass sidewalls

STANDARD INTERIOR EQUIPMENT

Solid hardwood cabinet doors

LED interior lighting

Wardrobe/pantry storage

Plastic sink

Seamless solid-surface look kitchen countertops

Brushed nickel faucets

Heavy duty, 75 lb., full extension, steel ball-bearing drawer guides

Wall-mounted 8,000-BTU A/C

Diamondflor® vinyl flooring

Shaw® residential-grade carpet (select models)

Premium multimedia sound system with MP3/iPod input jacks and Bluetooth® connectivity

Digital TV antenna

Residential-height plywood bed platforms

Marine-grade toilet with foot-flush

Shower curtain with curved shower track (select models)

Wood-trimmed mirror in bathroom

Queen Serta® mattress (select models)

300 lb. rated bunk beds (select models)

4 in, thick bunk mats (select models)

4 III. UIICK DUNK Mats (Select Models)

CUSTOMER VALUE PACKAGE (MANDATORY)

Goodyear® Endurance tires (made in the U.S.A.)

Quick recovery 6 gal. gas/electric DSI water heater

Bathroom skylight

Front diamond plate

Pleated window shades

Power awning with LED lights & speakers

Range hood

Stabilizer jacks with sand pads (2)

JAY FLIGHT SLX 8 STANDARDS & OPTIONS

STANDARD EXTERIOR EQUIPMENT

Dexter® axles with Nev-R-Adjust® brakes and E-Z Lube® hubs

Galvanized-steel impact-resistant wheel wells

I-class[™] cambered structural steel I-beams

Fully-integrated A-frame

5/8 in. tongue-and-groove plywood floor decking

Magnum Truss™ Roof System with plywood decking and seamless DiFlex II material

Large exterior downspouts

2-sided reflective foil insulation in flush-floor slideout floors

13.500-BTU roof-mounted A/C

30 amp service

Solar prep

20 lb. propane bottles (2)

Spare tire with cover

Pull-out camp kitchen (242BHS, 284BHS, 294QBS)

Backup camera prep

Keyblock exterior TV bracket

LED exterior lighting

Dark tinted safety glass privacy windows

LED reverse taillights

STANDARD INTERIOR EQUIPMENT

81 in. ceiling height

Solid hardwood cabinet doors

LED interior lighting

Wardrobe/pantry storage

Seamless solid-surface look kitchen countertops

Large 50/50 acrylic kitchen sink

Brushed nickel faucets

Heavy duty, 75lb., full extension, steel ball-bearing drawer guides

J-Steel™ jackknife sofa

Diamondflor® vinyl flooring

Shaw® residential-grade carpet (select models)

Premium multimedia sound system with

MP3/DVD player/ iPod input jacks

and Bluetooth® connectivity

Digital TV antenna

Cable/satellite TV hookup

Residential-height plywood bed platforms

Bedroom doors in place of curtains (select models)

Queen bed struts

Marine toilet with foot-flush

Tub surround

Bathroom exhaust vent

Shower curtain with curved shower track (select models)

Wood-trimmed mirror in bathroom

Queen Serta® mattress

Bedroom LED accent lighting

300 lb. rated bunk beds (select models)

600 lb. rated bunk beds (double bunks only)

Privacy curtains in bunk areas (select models)

4 in. thick bunk mats (select models)

Smoke-glass cabinet inserts (select models)

CUSTOMER VALUE PACKAGE (MANDATORY)

Goodyear® Endurance tires (made in the USA) Quick recovery 6 gal. gas/ electric DSI water heater

3-burner range with glass cover

6 cu. ft. Norcold® stainless steel refrigerator with temperature controls

Oven with glass door and interior light

Bathroom skylight

Front diamond plate

Spare tire with cover

Outside shower

Stainless steel microwave oven

Pleated window shades

Power awning with LED lights & speakers

Range hood

Stabilizer jacks with sand pads (4)

Water heater bypass

Keyed-Alike™ entry and baggage doors

OPTIONS

15,000-BTU, roof-mounted A/C

50-amp service with second A/C prep (294QBS, 324BDS)

Queen bedspread and pillows

Chil N' Stor (232RB, 245RLS)

Enclosed underbelly

LED TV (standard 284BHS)

Hide-a-bed (237RBS, 265RLS, 267BHS, 284BHS,

287BHS, 294QBS, 324BDS)

MORryde® Step Above™ entry steps

Roof ladder

Aluminum rims

30 lb. propane bottle





NTERIOR OPTIONS













JAY FLIGHT FLOORPLANS
























SPECS



38BHDS

| FLOORPLAN | EXTERIOR Travel Length | EXTERIOR WIDTH | EXTERIOR HEIGHT (WITH A/C) | INTERIOR HEIGHT | UNLOADED VEHICLE WEIGHT | DRY HITCH WEIGHT | GVWR | CARGO CARRYING CAPACITY | FRESH WATER CAPACITY (INCLUDES WATER HEATER) | GRAY WASTE WATER CAPACITY | BLACK WASTE WATER CAPACITY | SLEEP CAPACITY |
|-----------|---------------------------|-------------------|-------------------------------|--------------------|----------------------------|---------------------|--------|----------------------------|--|---------------------------------|----------------------------------|-------------------|
| 24RBS | 28' 8" | 8' 0" | 11' 1" | 6' 9" | 5,555 | 610 | 7,500 | 1,945 | 84 | 39 | 39 | 4-5 |
| 28BHBE | 33' 5" | 8' 0" | 11' 2" | 6' 9" | 6,648 | 657 | 9,250 | 2,700 | 82 | 39 | 39 | 8-10 |
| 28BHS | 33' 2" | 8' 0" | 11′ 3″ | 6' 9" | 6,683 | 788 | 8,750 | 2,089 | 82 | 78 | 39 | 8-10 |
| 28RLS | 32' 5" | 8' 0" | 11' 3" | 6' 9" | 6,560 | 755 | 8,800 | 2,303 | 84 | 39 | 39 | 4-6 |
| 29RKS | 33' 9" | 8' 0" | 11' 4" | 6' 9" | 6,800 | 825 | 9,500 | 2,592 | 86 | 78 | 39 | 4-6 |
| 31MLS | 35′ 5″ | 8' 0" | 11′ 3″ | 6' 9" | 7,925 | 1,044 | 10,250 | 2,325 | 86 | 78 | 39 | 3-4 |
| 32BHDS | 36' 2" | 8' 0" | 11' 2" | 6' 9" | 8,065 | 865 | 9,995 | 1,960 | 86 | 78 | 39 | 8-12 |
| 32TSBH | 36' 2" | 8' 0" | 11' 2" | 6' 9" | 8,668 | 800 | 10,950 | 2,313 | 86 | 41 | 39 | 9-14 |
| 33RBTS | 37' 8" | 8' 0" | 11' 3" | 6' 9" | 8,733 | 915 | 10,950 | 2,249 | 86 | 78 | 39 | 8-14 |
| 34MBDS | 38' 11" | 8' 0" | 11′ 4″ | 6' 9" | 8,357 | 1,020 | 10,950 | 2,622 | 86 | 78 | 39 | 6-8 |
| 34RSBS | 37' 6" | 8' 0" | 11' 2" | 6' 9" | 8,879 | 1,349 | 11,250 | 2,403 | 86 | 78 | 39 | 4-6 |
| 38BHDS | 40' 4" | 8' 0" | 11' 5" | 6' 9" | 8,498 | 1,147 | 10,950 | 2,452 | 90 | 39 | 39 | 6-14 |
| 38FDDS | 40' 4" | 8' 0" | 11' 3" | 6' 9" | 8,450 | 1,145 | 10,950 | 2,500 | 90 | 39 | 39 | 5-8 |

Some specs at the time of print may include estimates. For the most accurate information, please visit Jayco.com.

34RSBS

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of the trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists estimated weight information for that vehicle. See specifications chart above.

38FDDS

JAY FLIGHT STANDARDS & OPTIONS

STANDARD EXTERIOR EQUIPMENT

Dexter® axles with Nev-R-Adjust® brakes and E-Z Lube® hubs

I-class[™] cambered structural steel I-beams

Fully integrated A-frame

5/8 in. tongue and groove plywood floor decking Magnum Truss™ Roof System with plywood decking and seamless DiFlex II material

2-sided, reflective foil insulation in flush-floor slideout room floors

Large exterior downspouts

30 in. x 72 in. main entrance door

Galvanized-steel, impact-resistant wheel wells

30-amp service

Utility lighting system

Front diamond plate

Stabilizer jacks with sand pads (4)

Keyblock exterior TV bracket

LED exterior lighting

Dark tinted safety glass privacy windows

LED reverse taillights

LP quick connect (outside gas grill prep)

STANDARD INTERIOR EQUIPMENT

81 in. ceiling height

Solid hardwood cabinet doors

LED interior lighting

Wardrobe/pantry storage

Seamless solid-surface look kitchen countertops

Coat hook by entry door (select models)

3-burner range with glass cover

Oven with glass door and interior light

Heavy duty, 75 lb., full extension,

steel ball-bearing drawer guides

Range hood

Decorative dinette and slideout room lighting

(SuperSlide models)

Brushed nickel faucets Vented kitchen window

Hidden-switch command/charging center

Backup/security camera prep

J-Steel™ jackknife sofa

Diamondflor® vinyl flooring

Shaw® residential-grade carpet (select models)

Vented windows in slideout room end walls

(SuperSlide models)

Pleated window shades

Glass shower door (select models)

Shower curtain with curved shower track

(select models)

Queen Serta® mattress

Residential-height plywood bed platforms

Main bed struts

300 lb. rated bunk beds (select models)

600 lb. rated bunk beds (double bunks)

Privacy curtains in bunk areas (select models)

Vented bunk windows (select models) 4 in. thick bunk mats (select models)

Wooden bedroom doors (select models)

Smoke-glass cabinet inserts

LED accent lighting in kitchen

Up/down style dinette table (main booth dinette only)

CUSTOMER VALUE PACKAGE (MANDATORY)

13,500-BTU, roof-mounted A/C

30 lb. propane bottles with cover (2)

Quick recovery 6 gal. gas/electric DSI water heater (10 gal. in 38BHDS, 38FDDS)

Bathroom power vent

Bathroom skylight

Cable/satellite TV hookup

Digital TV antenna

Goodyear® Endurance tires (made in the U.S.A.)

Outside shower

Power tongue jack

Spare tire with cover

Tub surround

Water heater bypass

Power awning with speakers and LED lights

Stainless steel 8 cu. ft. refrigerator (18 cu. ft. in 38BHDS, 38FDDS)

Keyed-Alike™ entry and baggage doors

ELITE PACKAGE (MANDATORY)

Black tank flush

Porcelain foot-flush toilet

Second fresh water tank (total 80 gal. capacity)

Large main entry door grab handle

Stainless kitchen appliances

Upgraded kitchen faucet with pull out sprayer

Kitchen sink covers and rolling drying rack

Hardwood frame mission style cabinet doors

AM/FM/CD/DVD player with MP3 input

and Bluetooth® & HDMI® connectivity

Solar prep

Dual USB and 12V charging port

Deluxe bedspread with pillows

Simmons® mattress

INTERIOR OPTIONS

OPTIONS

I FD TV

and slideout floors

Aluminum rims

Chil N' Stor (26BH)

Customer Value Package with 15,000-BTU A/C

2nd A/C in bedroom (select models)

(select models) (std. in 34RSBS)

Exterior bumper-mount grill

Electric stabilizer jacks (4)

(std. in 31MLS, 32RLOK, 34MBDS)

Front guad bunk (38BHDS)

Front queen bed (38BHDS)

38FDDS)

Roof ladder

50-amp service with second A/C prep

Cargo accessory receiver (N/A 26BH)

Fiberglass sidewalls with frameless windows

Fireplace (29RKS, 28BHBE, 32BHDS, 32TSBH,

33RBTS, 38BHDS) (std on 31MLS, 32RLOK, 34MBDS,

Freestanding table with 4 chairs (select models)

Hide-a-bed with LED floor lighting (select models)

Wall hugger theater seating (select models)

Patio door (29RKS, 34RSBS) (std. on 38BHDS,

King bed (34RSBS, 38BHDS, 38FDDS)

Rear sofa with folding bunk (33RBTS)

Carpet in living area (34RSBS, 38FDDS)

MORryde® Step Above™ entry steps

Carpet in rear bedroom (32TSBH)

JAYCOMMAND™ Control System

Theater seating (select models)


Kitchen skylight with shade

Raised cabinet doors

Thermal package: insulated, heated, and enclosed

underbelly and reflective foil insulation in main roof

CARBON



SANDSTONE



STFRIING



JAYC OMMÂND

THE OPTIONAL JAYCOMMAND™ SYSTEM PUTS RVERS IN FULL CONTROL OF THEIR UNIT. THE SYSTEM WAS CUSTOM-BUILT BY OUR PRODUCT

DEVELOPMENT TEAMS ALONG WITH ONECONTROL®, SO THAT OWNERS CAN

MONITOR AND CONTROL KEY RV OPERATIONS FROM A PHONE OR A TABLET.



50 percent Stronger

4,500 lbs. on a Jayco roof vs. other roofs





Jayco's roof

VS.

other roofs





Travel with Confidence

NO ONE OFFERS A BETTER WARRANTY

At Jayco, we build our RVs to handle every adventure, then back them with our **industry-leading 2+3 warranty**. Our 2-year limited warranty has you covered for 2 camping seasons. That's 730 days. In addition, our 3-year structural warranty has you covered for 3 camping seasons or 1,095 days. You won't find a better warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. For a copy of our 2-year limited + 3-year structural warranty with complete terms and conditions, please contact your local Jayco dealer.



Jayco, Inc. | P.O. Box 460 | Middlebury, IN 46540 @ RVIA

See dealer for further information and prices. All information in this brochure and on www.jayco.com is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in USA 96K 10/19 ©2019 Jayco, Inc.

| Fol | low . | Jayco |
|-----|-------|-------|
| | etsJa | |











