











SLX 184BS Bathroom with Shower Curtain & Curved Shower Track

### STANDARDS & OPTIONS

#### STANDARD EXTERIOR EQUIPMENT

Axles with electric, self-adjusting brakes and easy lube hubs
Cambered, steel box tube frame
Fully-integrated A-frame
Magnum Truss™ Roof System with seamless DiFlex II material
Large exterior downspouts
30-amp service
20 lb. propane bottle
Exterior cable TV hookup
LED exterior lighting
G20 dark tinted safety-glass privacy windows
Rooftop solar prep

### **STANDARD INTERIOR EQUIPMENT**

Solid hardwood cabinet doors
LED interior lighting
Wall-mounted 8,000-BTU A/C
Vinyl flooring
Residential-grade carpet (select models)
Premium multimedia sound system with
MP3/iPod input jacks and Bluetooth®
connectivity

Digital TV antenna
Wardrobe/pantry storage
Plastic sink

Seamless solid-surface look kitchen countertops

Brushed nickel faucets

Heavy-duty, 75 lb., full-extension, steel ball-bearing drawer guides

Residential-height plywood bed platforms

Queen Serta® mattress (select models) 300 lb. rated bunk beds (select models)

4 in. thick bunk mats (select models)

Marine-grade toilet with foot flush

Shower curtain with curved shower track (select models)

Wood-trimmed mirror in bathroom

#### CUSTOMER VALUE PACKAGE (Mandatory)

Goodyear® Endurance® tires (made in the USA)

6 gal. gas/ electric DSI water heater Water heater bypass

Front diamond plate

Front diamond plate

Power awning with LED lights & speakers

Stabilizer jacks with sand pads (2)

Spare tire with cover

Keyed-Alike™ entry and baggage doors JaySMART™ (Safety Markers And Reverse Travel) LED lighting (patent-pending)

Large folding entry door grab handle

Pleated window shades

Range hood

2-burner range

3 cu. ft. refrigerator with temperature controls

Microwave oven

Bedspread (N/A 145RB & 154BH)

Bathroom skylight

#### **OPTIONS**

13,500-BTU, roof-mounted A/C Fiberglass sidewalls Solar Power Package (100W roof)


Solar Power Package (100W roof solar panel & 30-amp digital controller)

**Jay Flight SLX 174BH** 

### SLX 7 FLOORPLANS



# STORAGE MICRO MICROWAVE OHC OVERHEAD CABINETS FRIDGE REFRIGERATOR WARD WARDROBE



Ext. Lgth: 16' 8" Weight: 2,465 lbs. Hitch: 205 lbs.



Ext. Lgth: 18' 0" Weight: 2,645 lbs. Hitch: 335 lbs.



Ext. Lgth: 21' 1" Weight: 3,270 lbs. Hitch: 290 lbs.



Ext. Lgth: 21' 7" Weight: 3,380 lbs. Hitch: 375 lbs.



Ext. Lgth: 21' 8" Weight: 3,075 lbs. Hitch: 300 lbs.

### 195RB



Ext. Lgth: 21' 10" Weight: 2,940 lbs. Hitch: 270 lbs.

### **SPECS**






FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GVWR	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDING WATER HEATER)	GRAY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY	SLEEPING CAPACITY
145RB	16′ 8″	7′ 1″	9′ 3″	6′ 6″	2,465	205	3,200	735	16	19.9	19.9	2-3
154BH	18′ 0″	7′ 1″	9′ 4″	6′ 6″	2,645	335	3,450	805	16	19.9	19.9	4
183RB	21′ 1″	7′ 1″	9′ 11″	6′ 6″	3,270	290	4,150	880	26	19.9	19.9	2-4
184BS	21′ 7″	7′ 1″	9′ 6″	6′ 6″	3,380	375	4,300	920	26	19.9	19.9	4-6
174BH	21′ 8″	7′ 1″	9′ 9″	6′ 6″	3,075	300	3,750	675	26	19.9	19.9	4-5
195RB	21′ 10″	7′ 1″	9′ 1″	6′ 6″	2,940	270	3,750	810	26	19.9	19.9	3-4

Some specs at the time of print may include estimates. For the most updated information, please visit Jayco.com.





Kitchen with 3-Burner Range with Glass Cover & Oven with Glass Door



**Residential-Height Plywood Bed Platforms** 

### **TRUFFLE**





MAIN FABRIC





**CHARCOAL** 



WOOD



COUNTERTOP

### SLX 8 STANDARDS & OPTIONS

#### **STANDARD EXTERIOR EQUIPMENT**

Axles with electric, self-adjusting brakes and easy lube hubs

Galvanized-steel, impact-resistant wheel wells

I-Class<sup>™</sup> cambered structural steel I-beams

Fully-integrated A-frame

5/8 in. tongue-and-groove plywood floor decking

Magnum Truss<sup>™</sup> Roof System with plywood decking and seamless DiFlex II material

Large exterior downspouts

2-sided reflective foil insulation in flush-floor slideout floors

13,500-BTU roof-mounted A/C

30-amp service

Rooftop solar prep

20 lb. propane bottles (2) with cover

Spare tire with cover

Pull-out camp kitchen (select models)

Backup camera prep

Exterior TV bracket

LED exterior lighting

G20 dark tinted safety-glass privacy windows

### **STANDARD INTERIOR EQUIPMENT**

81 in. ceiling height

Solid hardwood cabinet doors

LED interior lighting

Wardrobe/pantry storage

J-Steel<sup>™</sup> jackknife sofa

Vinyl flooring

Residential-grade carpet (select models)

Premium multimedia sound system with DVD/MP3/iPod input jacks and Bluetooth® connectivity

Digital TV antenna

Cable/satellite TV hookup

Smoked-glass cabinet door inserts (select models)

Seamless solid-surface look kitchen countertops

Large 50/50 acrylic kitchen sink

Brushed nickel faucets

Heavy-duty, 75 lb., full-extension, steel ball-bearing

drawer guides

Residential-height plywood bed platforms

Bedroom doors in place of curtains (select models)

Queen bed struts

Queen Serta® mattress

Bedroom LED accent lighting

300 lb. rated bunk beds (select models)

600 lb. rated bunk beds (double bunks only)

Privacy curtains in bunk areas (select models)

4 in. thick bunk mats (select models)

Marine-grade toilet with foot flush

Tub surround

Bathroom exhaust vent

Shower curtain with curved shower track (select models)

Wood-trimmed mirror in bathroom

### **CUSTOMER VALUE PACKAGE (MANDATORY)**

Goodyear® Endurance® tires (made in the USA)

Front diamond plate

6 gal. gas/electric DSI water heater

Spare tire with cover

Outside shower

Power awning with LED lights & speakers

Stabilizer jacks (4)

Water heater bypass

Keyed-Alike<sup>™</sup> entry and baggage doors

JaySMART™ (Safety Markers And Reverse Travel)

LED lighting (patent-pending)

Large folding entry door grab handle

Power tongue jack

Black tank flush

Pleated window shades

3-burner range with glass cover

6 cu. ft. stainless steel refrigerator with

temperature controls

Oven with glass door and interior light

Stainless steel microwave oven

Range hood

**Bedspread** 

Bathroom skylight

### **OPTIONS**

15,000-BTU, roof-mounted A/C

50-amp service with second A/C prep (284BHS, 287BHS,

294QBS & 324BDS)

Chil N' Stor (245RLS & 264BH)

**Enclosed underbelly** 

 $\mathsf{MORryde}^{\scriptscriptstyle{\circledR}}\,\mathsf{StepAbove}^{\scriptscriptstyle{\intercal\!\!\mathsf{M}}}\,\mathsf{entry}\,\mathsf{steps}$ 

Roof ladder

Solar Power Package (100W roof solar panel & 30-amp

digital controller)

Ramp patio (236TH & 265TH)

LED TV (standard 284BHS)

Hide-a-bed with tri-fold mattress (237RBS, 265RLS,

267BHS, 284BHS, 287BHS, 294QBS & 324BDS)

8 cu. ft. 12V stainless steel refrigerator

### SLX 8 FLOORPLANS



Ext. Lgth: 25' 8" Weight: 4,240 lbs. Hitch: 470 lbs.





Ext. Lgth: 26' 10" Weight: 5,420 lbs. Hitch: 615 lbs.



Ext. Lgth: 27' 1" Weight: 4,480 lbs. Hitch: 460 lbs.

Scan QR code

to view



Ext. Lgth: 28' 1" Weight: 5,510 lbs. Hitch: 555 lbs.



Ext. Lgth: 28' 4" Weight: 4,890 lbs. Hitch: 830 lbs.



Ext. Lgth: 28' 4" Weight: 5,335 lbs. Hitch: 595 lbs.



SEEPS 8-9



Ext. Lgth: 29' 4" Weight: 5,555 lbs. Hitch: 720 lbs.

Ext. Lgth: 29' 5" Weight: 4,690 lbs. Hitch: 475 lbs.


Ext. Lgth: 30' 4" Weight: 5,060 lbs. Hitch: 860 lbs.



Ext. Lgth: 30' 4" Weight: 5,840 lbs. Hitch: 695 lbs.



Ext. Lgth: 31' 1" Weight: 6,110 lbs. Hitch: 710 lbs.



Ext. Lgth: 33' 7" Weight: 6,275 lbs. Hitch: 750 lbs.



Ext. Lgth: 33' 7" Weight: 6,210 lbs. Hitch: 705 lbs.



Ext. Lgth: 35' 7" Weight: 6,715 lbs. Hitch: 830 lbs.



Ext. Lgth: 36' 4" Weight: 7,760 lbs. Hitch: 970 lbs.

### **SPECS**

Scan QR code for specification definitions



FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GVWR	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDING WATER HEATER)	GRAY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY	SLEEPING CAPACITY
212QB	25′ 8″	8′0″	10′ 5″	6′ 8″	4,240	470	5,550	1,260	48	33	39	4-5
237RBS	26' 10"	8′0″	11′ 0″	6′ 8″	5,420	615	6,500	1,080	46	78*	39	2-4
224BH	27′ 1″	8'0"	10′ 6″	6′ 8″	4,480	460	5,600	1,120	48	39	39	7-8
235RKS	28′ 1″	8′0″	10′ 11″	6′ 8″	5,510	555	7,000	1,490	44	78*	39	2
236TH	28' 4"	8'0"	10′ 5″	6′ 8″	4,890	830	7,500	2,610	48	39	39	2-4
245RLS	28′ 4″	8′0″	11′ 1″	6′ 8″	5,335	595	7,000	1,662	46	39	39	4-5
242BHS	29' 4"	8'0"	10′ 10″	6′ 8″	5,555	720	7,000	1,445	44	39	39	7-8
264BH	29′ 5″	8′0″	10′ 6″	6′ 8″	4,690	475	6,000	1,310	48	39	39	8-9
265TH	30′ 4″	8'0"	10′ 6″	6′ 8″	5,060	860	7,500	2,440	48	39	39	3-4
267BHS	30′ 4″	8'0"	11′ 0″	6′ 8″	5,840	695	7,000	1,160	44	39	39	8-10
265RLS	31′ 1″	8'0"	11′ 0″	6′ 8″	6,110	710	7,150	1,040	44	39	39	4-6
284BHS	33′ 7″	8'0"	11′ 0″	6′ 8″	6,275	750	7,500	1,225	44	41*	39	8-10
287BHS	33′ 7″	8'0"	11′ 0″	6′ 8″	6,210	705	7,500	1,290	44	39	39	8-10
294QBS	35′ 7″	8'0"	11′ 1″	6′ 8″	6,715	830	8,250	1,535	44	41*	39	8-10
324BDS	36′ 4″	8′0″	11′ 2″	6′ 8″	7,760	970	9,000	1,240	46	41*	39	9-10



Jay Flight 28RLS Shown in Modern Farmhouse Interior Design

**Jay Flight 28RLS Shown in Cashmere Cottage Interior Design** 



**28RLS Bathroom with Glass Shower Door** 



**Residential-Height Plywood Bed Platforms** 



**Jay Flight 28RLS Shown with Optional Fiberglass Sidewalls** 

### JAY FLIGHT STANDARDS & OPTIONS

#### STANDARD EXTERIOR EQUIPMENT

Axles with electric, self-adjusting brakes and easy-lube hubs

I-Class™ cambered structural steel I-beams

Fully integrated A-frame

5/8 in. tongue-and-groove plywood floor decking

Magnum Truss™ Roof System with plywood decking and seamless

DiFlex II material

2-sided, reflective foil insulation in flush-floor slideout room floors

Large exterior downspouts

30 in. x 72 in. main entrance door

Galvanized steel, impact-resistant wheel wells

30-amp service

Utility lighting system

Front diamond plate

Stabilizer jacks (4)

Exterior TV bracket

LED exterior lighting

G20 dark tinted safety-glass privacy windows

LP quick-connect (outside gas grill prep)

#### STANDARD INTERIOR EQUIPMENT

81 in. ceiling height

Solid hardwood cabinet doors

LED interior lighting

Wardrobe/pantry storage

Decorative dinette and slideout room lighting (SuperSlide models)

Hidden switch command/charging center

Backup/security camera prep

J-Steel™ jackknife sofa

Vinyl flooring

Residential-grade carpet (select models)

Vented windows in slideout room end walls (SuperSlide models)

Pleated window shades

Smoked-glass cabinet door inserts (select models)

Adjustable and removable dinette table (main booth dinette only)

Seamless solid-surface look kitchen countertops

3-burner range with glass cover

Oven with glass door and interior light

Heavy duty, 75 lb., full-extension, steel ball-bearing drawer guides

Range hood

Brushed nickel faucets

Vented kitchen window

Queen Serta® mattress

Cubby storage area under bed (select models)

Residential-height plywood bed platforms

Main bed struts

300 lb. rated bunk beds (select models)

600 lb. rated bunk beds (double bunks)

Privacy curtains in bunk areas (select models)

Vented bunk windows (select models)

4 in. thick bunk mats (select models)

Wooden bedroom doors (select models)

Glass shower door (select models)

Shower curtain with curved shower track (select models)

#### **CUSTOMER VALUE PACKAGE (MANDATORY)**

13,500-BTU, roof-mounted A/C

30 lb. propane bottles with cover (2)

6 gal. gas/electric DSI water heater (10 gal. in 38BHDS & 38FDDS)

Cable/satellite TV hookup

Digital TV antenna

Goodyear® Endurance® tires (made in the USA)

Outside shower

Power tongue jack

Spare tire with cover

Water heater bypass

Power awning with speakers and LED lights

Keyed-Alike™ entry and baggage doors

JaySMART™ (Safety Markers And Reverse Travel) LED lighting

(patent-pending)

Roof ladder

8 cu. ft gas/electric refrigerator (N/A 38BHDS & 38FDDS)

Bathroom power vent

Bathroom skylight

Tub surround

#### **ELITE PACKAGE (MANDATORY)**

Black tank flush

Second fresh water tank (total 80 gal. capacity)

Large main entry door grab handle

Rooftop solar prep

Aluminum rims

Hardwood frame mission-style cabinet doors

Premium multimedia sound system with DVD/MP3/iPod input jacks

and Bluetooth® connectivity

Dual USB and 12V charging port

Stainless kitchen appliances

Upgraded kitchen faucet with pull-out sprayer

Kitchen sink covers and rolling drying rack

Deluxe bedspread with pillows

Serta® mattress

Porcelain foot flush toilet

#### **OPTIONS**

15,000-BTU, roof-mounted A/C

Thermal Package: insulated, heated, and enclosed underbelly and reflective foil insulation in main roof and slideout floors

Exterior bumper-mount grill

Cargo accessory receiver

Electric stabilizer jacks (4)

Fiberglass sidewalls

Patio door (29RKS & 34RSBS) (standard on 38BHDS & 38FDDS)

MORryde® StepAbove™ entry steps

Solar Power Package (100W roof solar panel & 30-amp digital controller)

50-amp service with second A/C prep (select models)

(standard in 34RSBS & 34RLOK)

Wall-hugger theater seating (select models)

Rear sofa with folding bunk (33RBTS)

JAYCOMMAND® "Smart RV" system with TPMS

Fireplace (29RKS, 28BHBE, 32BHDS, 32TSBH, 33RBTS & 38BHDS)

(standard on 31MLS, 34RSBS & 34RLOK)

Free-standing table with 4 chairs (select models)

(standard in 31MLS & 34RLOK)

LED TV

Hide-a-bed with tri-fold mattress (select models)

Kitchen skylight with shade

10 cu. ft. 12V stainless steel refrigerator

(18 cu. ft. residential refrigerator 38FDDS & 38BHDS)

King bed

2nd A/C in bedroom (select models)

Front guad bunk (38BHDS)

Front gueen bed (38BHDS)

### **CASHMERE** COTTAGE





MAIN FABRIC



ACCENT FABRIC



MODERN

**FARMHOUSE** 

WOOD



COUNTERTOP

### JAY FLIGHT FLOORPLANS

STORAGE
MICRO MICROWAVE
OHC OVERHEAD CABINETS
FRIDGE REFRIGERATOR
WARD WARDROBE

**OPTIONS** 



















Scan QR code



Ext. Lgth: 28' 10" Weight: 5,560 lbs. Hitch: 645 lbs.



Ext. Lgth: 32' 7" Weight: 6,535 lbs. Hitch: 785 lbs.



Ext. Lgth: 33' 4" Weight: 6,765 lbs. Hitch: 830 lbs.



Ext. Lgth: 33' 7" Weight: 6,640 lbs. Hitch: 680 lbs.



Ext. Lgth: 33' 11" Weight: 6,750 lbs. Hitch: 820 lbs.



Ext. Lgth: 35' 7" Weight: 7,975 lbs. Hitch: 1,095 lbs.



Ext. Lgth: 36' 4" Weight: 8,070 lbs. Hitch: 920 lbs.




Ext. Lgth: 36' 4" Weight: 8,615 lbs. Hitch: 765 lbs.



Ext. Lgth: 37' 8" Weight: 8,890 lbs. Hitch: 1,330 lbs.



Ext. Lgth: 37' 10" Weight: 8,750 lbs. Hitch: 1,045 lbs.



Ext. Lgth: 40' 6" Weight: 8,440 lbs. Hitch: 1,135 lbs.



Ext. Lgth: 37' 10" Weight: TBD Hitch: TBD



Ext. Lgth: 40' 6" Weight: 8,330 lbs. Hitch: 1,060 lbs.

### SPECS

Scan QR code for specification definitions



FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GVWR	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDING WATER HEATER)	GRAY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY	SLEEPING CAPACITY
24RBS	28' 10"	8′0″	11′ 2″	6′ 9″	5,560	645	7,500	1,940	82	39	39	4-5
28RLS	32′ 7″	8′0″	11′ 2″	6′ 9″	6,535	785	8,800	2,265	82	39	39	4-6
28BHS	33′ 4″	8'0"	11′ 2″	6′ 9″	6,765	830	8,850	2,085	82	78*	39	8-10
28BHBE	33′ 7″	8′0″	11′ 2″	6′ 9″	6,640	680	9,250	2,610	82	39	39	8-10
29RKS	33′ 11″	8'0"	11′ 2″	6′ 9″	6,750	820	9,500	2,750	86	78*	39	4-6
31MLS	35′ 7″	8′0″	11′ 2″	6′ 9″	7,975	1,095	10,250	2,275	86	78*	39	3-4
32BHDS	36' 4"	8'0"	11′ 2″	6′ 9″	8,070	920	10,250	2,180	86	41*	39	8-10
32TSBH	36′ 4″	8′0″	11′ 2″	6′ 9″	8,615	765	10,950	2,335	86	41*	39	8-10
34RSBS	37′ 8″	8'0"	11′ 2″	6′ 9″	8,890	1,330	11,250	2,360	86	71.5*	39	4-6
33RBTS	37′ 10″	8′0″	11′ 2″	6′ 9″	8,750	1,045	10,950	2,200	86	71.5*	39	8-10
34RLOK	37′ 10″	8′0″	11′ 2″	6′ 9″	TBD	TBD	TBD	TBD	86	78*	39	4-5
38BHDS	40′ 6″	8′0″	11′ 2″	6′ 9″	8,440	1,135	10,950	2,510	90	39	39	8-10
38FDDS	40′ 6″	8′0″	11′ 2″	6′ 9″	8,330	1,060	10,950	2,620	90	39	39	5-8

## #1 SELLING TRAVEL TRAILER SINCE 2005







### 50 percent Stronger

4,500 lbs. on a Jayco roof vs. other roofs





Jayco's roof

other roofs



#### NO ONE OFFERS A BETTER WARRANTY

At Jayco, we build our RVs to handle every adventure, then back them with our industryleading 2+3 limited warranty. Our 2-year limited warranty has you covered for 2 camping seasons. That's 730 days. In addition, our 3-year structural limited warranty has you covered for 3 camping seasons or 1,095 days. You won't find a better limited warranty in the business, because the only strings that we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. For a copy of our 2-year limited + 3-year structural limited warranty with complete terms and conditions, please contact your local Jayco dealer.



Each Jayco RV is built with locks which are keyed-alike allowing you to lock and unlock all of your doors with the same key to keep your gear secure.



The JAYCOMMAND® system puts RVers in full control of their unit. The system was custom-built by our product development teams along with BMPRO®, so that owners can monitor and control key RV operations from a phone or a tablet.

(JAYCOMMAND® is optional on Jay Flight products).







Featuring Durawall® Technology - ENGINEERED to help you tow with confidence



Jayco, Inc. | P.O. Box 460 | Middlebury, IN 46540

See dealer for further information and prices. All information in this brochure and on www.jayco.com is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in USA 10/20 @2020 Jayco, Inc.

**Follow Jayco** #LetsJayco



From the sales experience to service after the sale, we consider our dealers to be an important part of the Jayco family. Establishing a solid relationship with your local Jayco dealer is a key component in the enjoyment of your new Jayco. By purchasing from a local dealer, you will have a convenient location for sales, parts and service support. We hope you consider them a part of your camping family.

Meet your Jayco Dealer \_