

CLIPPER

EXPRESS

Camping Made Even Easier

CAMPING TRAILERS


THE EASIEST WAY TO GET UP & GO

Clipper tent-style, pop-up hybrids feel much bigger inside, with a rear entry for easy access. Unlatch, and the struts automatically lift the roof into position. Durable, automotive grade metal exterior walls and fiberglass roof skin maintain structural integrity and can withstand the test of time.

Express delivers a lot of comfort features including a whole coach fan and a 20,000 BTU furnace. Unlike traditional teardrop models, you can stand upright and walk around in the living space. These models are lightweight, and easy to tow by most cars, crossovers, and small SUVs.




V-PKG. OFF-ROAD OPTION - UNDER 1,450 LBS.



EXPRESS 12.0TD XL

RUGGED, OFF-ROAD OPTION - UNDER 2,100 LBS.



EXPRESS 12.OTD MAX
RUGGED, OFF-ROAD OPTION - UNDER 2,300 LBS.
SIDE DOOR ACCESS WITH ROOF DOWN



EXPRESS 9.0TD V-PKG.



EXPRESS 9.0TD V-PKG.



Express 9.0TD V-PKG.



EXPRESS 12.0TD XL



EXPRESS 12.0TD XL



Express 12.0TD MAX



EXPRESS 12.0TD MAX



EXPRESS 12.0TD MAX





EXPRESS	9.0 TD	12.0 TD XL	12.0TD MAX
Interior Box Size	10′ 2″	12′	12′
Travel Length	14′ 2″	17′ 5″	17′ 5″
Travel Width	6′ 10″	7′ 1″	7′ 1″
Travel Height	6′ 5″	7′ 5″	7′ 5″
Exterior Open Length	13′	13′ 11″	13′ 11″
Interior Open Height	6′ 4″	6′ 4″	6′ 4″
Sleeping Capacity	2	3	3
Front Sleeping Area	54" x 72"	60" x 74"	54" x 74"
Gaucho	N/A	74"	64"
Radial Tire Size	ST145R13	ST205/75R14	ST205/75R14
Tire Load Range	D	D	D
Hitch Weight (lbs.)	194	220	259
Axle Weight (lbs.)	2000	3500	3500
UVW (lbs.)	1418	2147	2225
Cargo Capacity (lbs.)	776	1573	1034
GVWR (Ibs.)	2194	3720	3259
Coupler Size	2"	2-5/16"	2-5/16"

*Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds. See back page for chart definitions.

CUIDDED EVENESS	DACIC	DELLIVE	V DVC	DELLIVE	MAY
CLIPPER EXPRESS EXTERIOR	9.0 TD	9.0 TD	V-PKG. 9.0 TD	DELUXE	MAX 12.0 TD MAX
The second secon				12.0 ID XL	12.0 ID MAX
E -Coated Tubular Steel Frame	13"	12"	15"	14"	14"
Tire Sizes	13	13"	15"	14	* *
Heavy-Duty Tongue Jack w/Wheel		-	-	-	•
Wide Trac Ultra Lube Spring Axle	•	•	•	•	•
Electric Brakes	•	•	•	•	•
Radial Tires	•	•	•	•	•
Spare Tire & Carrier	OPT	OPT	OPT	•	•
Steel Rims	•	•	•	•	•
(4) Heavy Duty Scissor Style Jacks	•	•	•	•	•
Laminated Fiberglass Roof	•	•	•	•	•
Automotive Grade Metal	•	•	•	•	•
LED Exterior Lights	•	•	•	•	•
One-Piece Screen Door	•	•	•	•	•
Aqua-Shield Tenting Material	•	•	•	•	•
Exterior Wall Mount LP Grill	OPT	OPT	OPT	OPT	OPT
16 Gallon Fresh Water Tank			•		
27 Gallon Fresh Water Tank				•	•
35 Amp Converter – Trickle Charger		•	•	•	•
120V GFI Recept		•	•	•	•
Flex Rod Tech Add-A-Room	•	•	•	•	•
"Jack It" Bike Rack	OPT	OPT	OPT	OPT	OPT
"Toylok" Cargo Security System	OPT	OPT	OPT	OPT	OPT
Patio Light		•	٠	•	•
INTERIOR	9.0 TD	9.0 TD	9.0 TD	12.0 TD XL	12.0 MAX
LED Interior Courtesy Lights (Floor)		•	•	•	•
100% Adhesion Residential Grade Linoleum	•	•	•	•	•
Dark Ash Cabinetry	•	•	•	•	•
Residential Laminated Countertops	•	•	•	•	•
Ultra Comfort 4" High Density Cushions				•	•
Deep Bowl Acrylic Sink			•	•	•
2-Burner High Output Range				•	•
12V On Demand Water Pump			•	•	•
DSI 6-Gallon Water Heater			•	•	•
20,000 BTU Furnace		•	•	•	•
12V LED Interior Lights	•	•	•	•	•
Bluetooth Stereo		•	•	•	•
3-Way 1.9 Cu. Ft. Refrigerator				•	•
120 Watt/12V Refrigerator/Freezer Cooler		•	•		
Thetford Porta Potti	OPT	OPT	•	•	•
13,500 BTU Air Conditioner	OPT	OPT	OPT	OPT	OPT



OFF-ROAD PACKAGE OPTION (9.0TD V Pkg. •12.0 TD XL • 12.0 TD MAX) 15" OFF-ROAD TIRES & SPARE, EXTENDED FRAME JACKS, OFF-ROAD LIFTED AXLE

CLIPPER

CAMPING TRAILERS

Camping Made Easy

EASY TO TOW • SET UP IN 10 MINUTES!


Value-added, Clipper Ultra Light Camping Trailers are easy to tow and maneuver at 1,500 - 2,500 lbs. These technologically advanced camping trailers are an easy way to experience the RV lifestyle. With exclusive cable supported structured platform bed systems, and the J-track metal door hook system, they're designed to make set up a breeze. It's easy to keep things fresh with Velcro attached valances, removable curtains and cushions.




CLIPPER LS




CLIPPER LS




806XLS OPPOSING GAUCHOS



107LS





128LS

NEW STORAGE SHROUD & LID

806XLS

108ST






CLIPPER SPORT



CLIPPER SPORT



860QS HEATED QUEEN BED



108ST

OPTIONAL CASSETTE POTTI



OPT. BATHROO PACKAGE

OPTIONAL BATH PACKAGE 125ST , 128LS

125ST OPTIONAL BATH PACKAGE

3	LS MODEL				CLASSIC		
	806XLS	107LS	128LS	860QS	108ST	125ST	1285SST
Interior Box Size	8′ 6″	10′	12′	8′ 6″	10′	12'	12'
Travel Length	12′ 11″	13′ 2″	17′ 9″	12′ 2″	16′ 10″	17′ 9″	19'
Travel Width	7'	7′ 1″	7′ 1″	7′ 1″	7′ 1″	7′ 1″	7′ 1″
Travel Height	56"	58"	58"	56"	58"	58"	55"
Exterior Open Length	17′ 11″	20′ 5″	23′ 5″	13′ 6″	20′ 9″	23′ 5″	23′ 5″
Interior Open Height	6′ 10″	6′ 10″	6′ 10″	6′ 10″	6′ 10″	6′ 10″	6′ 10″
Sleeping Capacity	6	7	8	4	7	8	6
Front Sleeping Area	54" x 80"	58" x 80"	70" x 80"	58" x 80"	58" x 80"	70" x 80"	70" x 80"
Rear Sleeping Area	48" x 80"	54" x 80"	58" x 80"	N/A	58" x 80"	58" x 80"	58" x 80"
Dinette Area	N/A	N/A	N/A	N/A	38" x 70"	38" x 70"	41" x 74"
"U" Dinette	N/A	N/A	80" x 70"	38" x 102"	N/A	N/A	N/A
Lounge Area	(2) 60"	(2) 70"	(2) 70"	N/A	24" x 70"	N/A	24" x 70"
Sofa Bed	N/A	N/A	N/A	N/A	34" x 76"	40" x 72"	N/A
Radial Tire Size	ST145R12	ST145R12	ST185/80R13	ST145R12	ST185/80R13	ST185/80R13	ST185/80R13
Tire Load Range	E	E	D	Е	D	D	D
Hitch Weight (lbs.)	167	208	223	203	187	241	296
Axle Weight (lbs.)	1338	1576	1962	1355	1667	2083	2403
UVW (lbs.)	1642	1801	2204	1577	1863	2396	2840
Cargo Capacity (lbs.)	1255	1137	1019	1365	824	845	456
GVWR (lbs.)	2897	2938	3223	2942	2687	3241	3296
Coupler Size	2"	2"	2"	2"	2"	2"	2"

*Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds. See back page for chart definitions.



CLIPPER CLASSIC KING SIZE 1-1/4" INSULATED BUNK QUEEN SIZE 1-1/4" Insulated Bunk GAUCHO

1285SST

INTERIOR

SPACIOUS SLIDE OUT WITH STANDARD BATH PACKAGE

SPORT CLASSIC

CLIPPER CLASSIC

EXTERIOR	LS	SPORT	CLASSIC
E-Coated Tubular Steel Frame	•	•	•
Dual Drive Winch	•	•	•
Heavy Duty Tongue Jack - w/Wheel	•	•	•
Wide Trac Ultra Lube Spring Axle	•	•	•
Electric Brakes	•	•	•
Radial Tires	•	•	•
Spare Tire & Carrier	•	•	•
(4) Heavy Duty Scissor Style Jacks	•	•	•
Goshen Lift System	•	•	•
4-Layer Laminated Seamless Roof	•	•	•
Laminated Insulated Bed Platforms	•	•	•
Automotive Grade Metal	•	•	•
LED Exterior Lights	•	•	•
Diamond Plate Front & Rear Walls	•	•	•
E-Z Swing Stepper Door (N/A 860QS)		•	•
One-Piece Screen Door	•	•	•
Prebraced for A/C	•	•	•
Exterior Wall Mount w/LP Quick Connect	•	•	•
VRX Sectionalized Tent	•	•	•
Non-Heated 4" Mats	•		
16 Gallon Fresh Water Tank	806XLS	860QS	
23 Gallon Fresh Water Tank	•	•	•
35 Amp Converter - Trickle Charger	•	•	•
(2) Blue LED Patio Lights	•	•	•
Super Sliding Storage			•
New Style Storage Lid & Shroud	•	•	•
Create-A-Breeze Power Roof Vent		•	•
Awning	•	•	•
INTERIOR	LS	SPORT	CLASSIC
LED Interior Courtesy Lights (Floor)	•	•	•
100% Adhesion Residential Grade Linoleum	•	•	•
Dark Ash Cabinetry	•	•	•
Residential Laminated Countertops	•	•	•
Ultra Comfort 4" Heated Mattress		•	•
Ultra Comfort 4" High Density Cushions	•	•	•

Glide-N-Lock Cable Supported Beds	•	•	•			
Privacy Drapes		•	•			
E-Z Swing Galley w/Drawer			•			
Deep Bowl Acrylic Sink	•	•	•			
2-Burner High Output Range	•	•	•			
Bathroom Package (Opt. 125ST, 128LS)			•			
12V On-Demand Water Pump	•	•	•			
Modular Cassette Potti (Opt. 108ST, 125ST)			•			
DSI 6-Gallon Water Heater w/Outside Shower (108ST, 125ST) Outside Spray-away w/Quick Connect (1285SST)		•	•			
20,000 BTU Furnace	•	•	•			
120 Watt/12V Refrigerator/Freezer Cooler	•					
3-Way Dometic Refrigerator 1.9 Cu. Ft.		•	•			
12V LED Interior Lights	•	•	•			
LED Bunk Fan Lights	•	•	•			
Bunk Storage Nets		•	•			
Bluetooth Stereo (Std. 1285SST)			•			
120V GFI Recept	•	•	•			
ESSENTIALS PACKAGE		•	•			
20,000 BTU Furnace, Awning, Electric Brakes, Spare Tire & Carrier, 3-Way 1.9 Cu. Ft. Refrigerator (120 Watt/12V Refrigerator/Freezer Cooler - LS only)						
POPULAR OPTIONS						
3-Way 1.9 Cu. Ft. Refrigerator (LS only)						
13,500 BTU Air Conditioner						
40 Watt Zamp Portable Solar Panel						
80 Watt Zamp Portable Solar Panel	80 Watt Zamp Portable Solar Panel					
"Jack It" Bike Rack						
"Toylok" Cargo Security System						
Stor-N-More Under Bunk Storage System						
Thetford Porta Potti						
Screen Room w/Privacy Flaps						



• = STANDARD FEATURES

Flex Rod Tech Add-A-Room Upgrade

OFF-ROAD PACKAGE OPTION (107 LS • 128 LS)

806XLS 860QS

15" OFF-ROAD TIRES & SPARE, LENGTH STABILIZING EXTENDED JACKS, OFF-ROAD LIFTED AXLE, GRAB HANDLE, DOUBLE STEP



Classic 1285SST - This spacious floor plan includes a slide out dinette.





Clipper's Super Sliding Storage box enables full, easy accessibility even when the camper is set up. (1285SST)



The E-Z one hand swing level galley (1285SST)




Bath Package - Modular Cassette Potti/Shower Combo

CLIPPER **OFF-ROAD CAMPING TRAILERS**




					-	_	$\overline{}$	
		STORAGE CABINET W/SEAT CUSHION				5	ĞĞ	1/4" INK
	QUEEN SIZE 1-1/4" Insulated Bunk	39 00 00 00 00 00		99]		TSLIDIN	N SIZE 1- LATED BU
1000	SEATINK W/STORA		DINETTE TABLE	SEATIN W/STORA		STORAGE	Å.S	QUEEN
	V1	1	50	LID D	IAMONI) PL/	ATE 2' L	DECK

D-RING TIE-DOWNS





V2



SOLID DIAMOND PLATE 5' DECK - DETACHABLE RAMP

LET THE GOOD TIMES ROLL!



V-TREC	V1	V2	V3			
Interior Box Size	10′	12′	12′			
Travel Length	17′ 2″	18′ 3″	21' 8"			
Travel Width	7′ 1″	7′ 1″	7′ 1″			
Travel Height	65"	65"	65"			
Exterior Open Length	20′ 5″	22′ 5″	23′ 5″			
Interior Open Height	6′ 10″	6′ 10″	6′ 10″			
Sleeping Capacity	6	6	6			
Front Sleeping Area	58" x 80"	70" x 80"	70" x 80"			
Rear Sleeping Area	58" x 80"	58" x 80"	58" x 80"			
Dinette Area	38" x 70"	36" x 70"	41" x 74"			
Lounge Area	24" x 70"	24" x 70"	24" x 70"			
Radial Tire Size	ST235/75R15	ST235/75R15	ST235/75R1			
Tire Load Range	С	С	С			
Hitch Weight (lbs.)	274	290	427			
Axle Weight (lbs.)	2120	2291	2790			
UVW (lbs.)	2394	2581	3217			
Cargo Capacity (lbs.)	1380	1209	1210			
GVWR (lbs.)	3774	3790	4427			
Coupler Size	2-5/16"	2-5/16"	2-5/16"			

*Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds. See back page for

EXTERIOR	V-TREC
E -Coated Tubular Steel Frame	•
Dual Drive Winch	•
Heavy Duty Tongue Jack - w/Wheel	•
Wide Trac Ultra Lube Torsion Axle	•
Electric Brakes	•
15" Radial Tires	•
Spare Tire & Carrier	•
(4) Heavy Duty Scissor Style Jacks	•
Goshen Lift System	•
4 Layer Laminated Seamless Roof	•
Laminated Insulated Bed Platforms	•
Automotive Grade Metal	•
LED Exterior Lights	•
Diamond Plate Front & Rear Walls	•
One-Piece Screen Door	•
Prebraced For A/C	•
Outside Spray-Away (Cold only)	•
Exterior Wall Mount LP w/Quick Connect	•
VRX Sectionalized Tent	•
23 Gallon Fresh Water Tank	•

	ע טווטט ט	IAWOND	PLATE 3 DECK - DETACHABLE KAIN
ŀ		V-TREC	
Ī	35 Amp Converter – Trickle Charger	•	3-Way 1.9 Cu. Ft. Refrigerator
	120 Volt GFI Recept	•	20,000 BTU Furnace
	Patio Light	•	12 Volt LED Interior Lights
	Create-A-Breeze Power Roof Vent	•	LED Bunk Fan Lights
	Awning	•	Bluetooth Stereo
	INTERIOR		ESSENTIALS PACKAGE
	LED Interior Courtesy Lights (Floor)	•	3-Way 1.9 Cu. Ft. Refrigerator, 20,000 Awning, Electric Brakes, Spare Tire &
_	100% Adhesion Residential Grade Linoleum	•	POPULAR OPTIONS
_	Dark Ash Cabinetry	•	13,500 BTU Air Conditioner
_	Residential Laminated Countertops	•	40 Watt Zamp Portable Solar Panel
_	Glide-N-Lock Cable Supported Beds	•	80 Watt Zamp Portable Solar Panel
-	Ultra Comfort 4" Heated Mattress	•	Thetford Modular Cassette Potti
_	Ultra Comfort 4" High Density Cushions	•	w/Electric Flush (Opt. V1, V2)
-	Vented Privacy Drapes	•	Thetford Porta Potti
_	E-Z Swing Galley w/Drawer	•	Bathroom Package (V2 only)
_	Deep Bowl Acrylic Sink	•	SST – Super Sliding Storage Trunk (V1
-	2-Burner High Output Range	•	"Jack It" Bike Rack
	12 Volt On-Demand Water Pump	•	"Toylok" Cargo Security System
	Bathroom Package (Std. V3, Opt. V2)	•	Stor-N-More Under Bunk Storage Sys
	DSI 6-Gallon Water Heater		Exterior Grill w/Quick Connect Hose
	DOI O GUITOTI WATER FIERRET		

	V-TREC
3-Way 1.9 Cu. Ft. Refrigerator	•
20,000 BTU Furnace	•
12 Volt LED Interior Lights	•
LED Bunk Fan Lights	•
Bluetooth Stereo	•
ESSENTIALS PACKAGE	•
3-Way 1.9 Cu. Ft. Refrigerator, 20 (000 RTH Furnace

3-Way 1.9 Cu. Ft. Refrigerator, 20,000 BTU Furnace, Awning, Electric Brakes, Spare Tire & Carrier

POPULAR OPTIONS	
13,500 BTU Air Conditioner	
40 Watt Zamp Portable Solar Panel	
80 Watt Zamp Portable Solar Panel	
Thetford Modular Cassette Potti w/Electric Flush (Opt. V1, V2)	
Thetford Porta Potti	
Bathroom Package (V2 only)	
SST – Super Sliding Storage Trunk (V1, V2)	
"Jack It" Bike Rack	
"Toylok" Cargo Security System	
Stor-N-More Under Bunk Storage System	

• = STANDARD FEATURES



Easy-to-use dual drive winch and drill socket, with your cordless drill, raises or lowers the roof in under 30 seconds. A manual crank is also provided.



stabilizing jacks extend and retract easily using your cordless drill and the provided drill socket.



This exclusive "Glide-N-Lock" cable supported bed system eliminates the need for support poles under the beds. Simply pull out the bed, click and it's locked into place.



Optional exterior grill with Quick Connect hose



Clipper

and bottom



Pass-through storage and outside shower (9.0 TD, 12.0TD XL)



Convenient bottle opener



Bed step



Charging station




• More stable bed end vs. chipboard or spliced plywood

with 1" thick high density foam,

and laminated wood panels top

1-1/4" Laminated Insulated Bunkends • Two times thicker than others • Solid wood, steel reinforced frame,





Black tire rim



Lounge/gaucho bed



Reversible gaucho cushion



LED floor liaht





LED bunk end fan lights



Clipper's exclusive J-Track door latch maximizes stability by eliminating the flimsy nylon turn buttons traditionally used in securing the door to the roof.



hydraulic assist, operates in seconds and provides the largest, most stable step platform in the industry.



Clipper's one-piece entry door has an extra large adjustable privacy panel to let in fresh air and sunlight.




X-Cable technology adds additional stability to the roof and prevents over cranking.



Competitors



Clipper's one-piece, 5/8" floor structure is stronger than the industry's standard 1/2". Automotive undercoating protects from the elements. Congoleum residential grade Diamondflor with 100% adhesion adds beauty and durability indoors.



The Goshen Stamping double-wide lifter system offers strength, stability and increased wind resistance. (Limited lifetime warranty)



Power roof vent moves air like no other. (N/A LS models)



on Classic and V-Trec models)

CLIPPER

EXCLUSIVE FEATURES



CLIPPER CAMPING TRAILERS LIMITED WARRANTY

Please refer to www.coachmenrv.com for complete warranty information

Coachmen

Recreational Vehicles

- Lift System Lifetime
- Dexter® E-Z Lube® Axle 5 Years
- Dexter® Torflex® Axle 10 Years
- Roll-out System 5 Years • Roof Assembly - 5 Years

• VRX Vinyl Tent - 5 Years





Dexter* E-Z Lube* Axles

ULTRA LIGHT CAMPING TRAILERS

Four Layer Insulated Roof Braced for Air Conditioning.

- 1. One Piece Seamless Fiberglass Skin
- 2. Lauan Plywood Underlayment

No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.

- 3. Foam Insulated Roof Structure
- 4. Vinyl Coated Ceiling

Easy to clean and minimizes interior condensation

Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.

Wide Trac Suspension Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with E-coat protection

Camping Made Easy

CLIPPER RV

580 West Burr Oak Street • P.O. Box 549 • Centreville, MI 49032 • 269-467-6321

To learn more about Coachmen RV and our products and see how Coachmen is making the easy life easier, visit www.coachmenrv.com or call 1.800.353.7383.

YOUR CLIPPER CAMPING TRAILER DEALER







Check Out Our Easy Set Up Video Here

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and grey tanks to provide for more cargo capacity.

**Estimated average based on standard build optional equipment. All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2021 Clipper RV, by Coachmen RV, a Division of Forest River, Inc., A Berkshire Hathaway company. All Rights Reserved.2/21



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE*

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT **SERVICE**

WINCH-OUT MOBILE MECHANIC **TECHNICAL** SUPPORT DEALER LOCATOR **SERVICES**



***VALID FOR 1 YEAR FROM DATE OF PURCHASE**



Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.







COACHMEN INTERACTIVE MOBILE MANUALS

Download your Coachmen mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment

of your Coachmen product. Ranging from "How-To" videos,

pictures and illustrations of various components, systems and features to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.

