





5,2,1 GUARANTEE









COACHMEN RV - FOR OVER 50 YEARS...











- 4 -

X-EDITION

Model	25RE	274BH	284RL	30RLS	30BHS	
Shipping Weight (lbs.)	7,213	8,632	8,848	8,921	9,475	
Carrying Capacity (lbs.)	2,527	2,308	2,592	2,019	1,965	
UVW (lbs.)	7,273	8,692	8,908	8,981	9,535	
GVWR (lbs.)	9,800	11,000	11,500	11,000	11,500	
Hitch Weight (lbs.)	1,115	1,420	1,434	1,445	1,553	
Exterior Height (Includes A/C)	12'	12'	12'	12'	12'	
Fresh Water Capacity (gal.)	40	40	40	40	40	
Grey Water Capacity (gal.)	33	66	66	66	66	
Waste Water Capacity (gal.)	33	33	33	33	33	
Awning Length	13'	16'	11'	11'	15'	
Wheel Size	16"	16"	16"	16"	16"	
Exterior Length (Includes Bumper to Cap)	29'10"	35' 11"	34' 2"	34' 2"	37'	
Interior Height (Coach)	81"	81"	81"	81"	81"	
Axles (lbs. Capacity)	5,100	5,100	5,100	5,100	5,100	
Tire Size	ST235/80R16E	ST235/80R16E	ST235/80R16E	ST235/80R16E	ST235/80R16E	

	Model	355FBX	393MBX
	Shipping Weight (lbs.)	11,482	13,020
	Carrying Capacity (lbs.)	2,958	2,420
	UVW (lbs.)	11,542	13,080
	GVWR (lbs.)	14,500	15,500
ı	Hitch Weight (lbs.)	2,008	2,498
	Exterior Height (Includes A/C)	12' 5"	12' 5"
	Fresh Water Capacity (gal.)	48	48
	Grey Water Capacity (gal.)	135	85
	Waste Water Capacity (gal.)	90	45
7	Awning Length	20'	20'
	Wheel Size	16"	16"
1	Exterior Length (Includes Bumper to Cap)	42' 6"	42' 6"
N. Carlot	Interior Height (Coach)	85"	85"
100	Axles (lbs. Capacity)	7,000	7,000
3	Tire Size	ST235/80R16G	ST235/80R16G
	and the second s	The second secon	

R-15+ SIDEWALL AIRCRAFT GRADE Double Welded Aluminum Frame 2LB. DENSITY CLOSED CELL STRUCTURAL FOAM CHAPARRAL "AZDEL" ROT PROOF COMPOSITE SIDEWALL PANEL UV PROTECTED GEL COAT EXTERIOR PANEL

24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE JUMP-STARTS MOBILE MECHANIC TIRE CHANGES TECHNICAL FLUID DELIVERY SUPPORT LOCKOUT DEALER LOCATOR SAFERIDERV

MOTOR CLUB VALID FOR 1 YEAR FROM DATE OF PURCHASE

MID-PROFILE

8	Model	298RLS	334FL	336TSIK	360IBL	367BH	373MBRB	381RD
S	Shipping Weight (lbs.)	9,515	12,340	10,460	11,390	12,268	12,971	12,186
100	Carrying Capacity (lbs.)	2,425	2,600	2,980	2,550	3,172	1,969	2,254
「毎	UVW (lbs.)	9,575	12,400	10,520	11,450	12,328	13,031	12,246
1	GVWR (lbs.)	12,000	15,000	13,500	14,000	15,500	15,000	14,500
W	Hitch Weight (lbs.)	1,935	2,708	1,880	2,100	2,194	2,219	2,310
	Exterior Height (Includes A/C)	12' 4"	12'5"	12' 4"	12' 4"	12'5"	12' 6"	12' 6"
	Fresh Water Capacity (gal.)	48	48	48	48	48	48	48
1	Grey Water Capacity (gal.)	90	85	90	90	112	120	90
	Waste Water Capacity (gal.)	45	45	45	45	72	75	45
	Awning Length	15'	20'	16'	18'	15'	17'	20'
Š.	Wheel Size	16"	16"	16"	16"	16"	16"	16"
	Exterior Length (Includes Bumper to Cap)	34' 8"	42' 6"	37'	39' 9"	42' 6"	42' 6"	42' 6"
	Interior Height (Coach)	85"	85"	85"	85"	85"	85"	85"
	Axles (lbs. Capacity)	5,100	7,000	7,000	7,000	7,000	7,000	7,000
	Tire Size	ST235/80R16E	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G



FREE MEMBERSHIP www.coachmenowners.com



PRE-DELIYERY INSPECTION FACILITY
20,000 square feet of quality assurance. The bare essentials for a premium product.
This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



YOUR LOCAL DEALER

ALL INFORMATION CONTAINED IN THIS BROCHURE IS BELIEVED TO BE ACCURATE AT THE TIME OF PUBLICATION. HOWEVER, DURING THE MODEL YEAR IT MAY BE NECESSARY TO MAKE REVISIONS. FOREST RIVER, INC., RESERVES THE RIGHT TO MAKE ALL SUCH CHANGES WITHOUT NOTICE, INCLUDING PRICES, COLORS, MATERIALS, EQUIPMENT, AND SPECIFICATIONS, AS WELL AS THE ADDITION OF NEW MODELS AND THE DISCONTINUANCE OF MODELS SHOWN IN THIS BROCHURE. THEREFORE, PLEASE CONSULT WITH YOUR FOREST RIVER DEALER AND CONFIRM THE EXISTENCE OF ANY MATERIALS, DESIGN, OR SPECIFICATIONS THAT ARE MATERIAL TO YOUR PURCHASE DECISION. *=WHERE APPLICABLE. (REV. 10-15-21)